

WEST BENGAL FOREST DEVELOPMENT CORPORATION LIMITED

(A Government of West Bengal UNDERTAKING)

OFFICE OF THE DIVISIONAL MANAGER

FOREST CORPORATION (WEST) DIVISION

MICHAEL MADHUSUDAN NAGAR, PASCHIM MEDINIPUR.

Tel. : 03222-275857 (O), 03222-297867 (fax)

**Disposal of Sal & Eucalyptus Poles, Firewood, Cogging Sleeper through
Auction Notice No. 05/Rev.of 2013-2014 to be held on Dated 22 October 2013
Rupnarayan Division, Rangamati, Midnapur under Forest Corporation (W) Division, Midnapur**

| SI No. | Lot No. & Year | Species | Length | No.of Pole & firewood | Total Nos./ Vol. |
|--------|------------------------------|-------------------------------|----------------------------------------------|-----------------------|------------------|
| | Depot:- Godapiasal | CFC: Arabari Hudansole | | | |
| 1 | D/07/GPS/ABH/FW/2012-13 (MD) | Sal Fire Wood | | | 23.424 cum. |
| 2 | D/08/GPS/ABH/FW/2012-13 (MD) | Sal Fire Wood | | | 23.540 cum. |
| 3 | D/09/GPS/ABH/FW/2012-13 (MD) | Sal Fire Wood | | | 23.772 cum. |
| 4 | D/10/GPS/ABH/FW/2012-13 (MD) | Sal Fire Wood | | | 28.098 cum. |
| 5 | D/11/GPS/ABH/ST/2012-13 (MD) | Sal Short timber | | | 31.626 cum. |
| 6 | D/12/GPS/ABH/P/2012-13 (MD) | Sal Pole | 31-40/8' 41-50/8' | 4 4 | 08 Nos. |
| 7 | D/13/GPS/ABH/P/2012-13 (MD) | Sal Pole | 51-60/8' | | 09 Nos. |
| 8 | D/14/GPS/ABH/P/2012-13 (MD) | Sal Pole | 31-40/16' 31-40/14' | 29 14 | 43 Nos. |
| 9 | D/15/GPS/ABH/P/2012-13 (MD) | Sal Pole | 61 above/10' 61 above/12' | 1 4 | 05 Nos. |
| 10 | D/16/GPS/ABH/P/2012-13 (MD) | Sal Pole | 51-60/8' | | 08 Nos. |
| 11 | D/17/GPS/ABH/P/2012-13 (MD) | Sal Pole | 41-50/8' | | 14 Nos. |
| 12 | D/18/GPS/ABH/P/2012-13 (MD) | Sal Pole | 51-60/16' | | 56 Nos. |
| 13 | D/19/GPS/ABH/P/2012-13 (MD) | Sal Pole (Bend) | 51-60/14' 51-60/16' | 17 19 | 36 Nos. |
| 14 | D/20/GPS/ABH/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/12' | | 93 Nos. |
| 15 | D/21/GPS/ABH/P/2012-13 (MD) | Sal Pole | 31-40/8' | | 15 Nos. |
| 16 | D/22/GPS/ABH/P/2012-13 (MD) | Sal Pole | 31-40/12' | | 48 Nos. |
| 17 | D/23/GPS/ABH/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/10' | | 33 Nos. |
| 18 | D/24/GPS/ABH/P/2012-13 (MD) | Sal Pole | 31-40/10' | | 16 Nos. |
| 19 | D/25/GPS/ABH/P/2012-13 (MD) | Sal Pole (Bend) | 31-40/10' | | 23 Nos. |
| 20 | D/27/GPS/ABH/P/2012-13 (MD) | Sal Pole | 61 above/8' | | 03 Nos. |
| 21 | D/28/GPS/ABH/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/8' | | 11 Nos. |
| 22 | D/29/GPS/ABH/P/2012-13 (MD) | Sal Pole (Bend) | 31-40/12' | | 47 Nos. |
| 23 | D/30/GPS/ABH/P/2012-13 (MD) | Sal Pole | 51-60/10' | | 09 Nos. |
| 24 | D/31/GPS/ABH/P/2012-13 (MD) | Sal Pole | 61 above/12' 61 above/10' | 6 2 | 08 Nos. |
| 25 | D/32/GPS/ABH/P/2012-13 (MD) | Sal Pole (Bend) | 51-60/10' | | 06 Nos. |
| 26 | D/33/GPS/ABH/P/2012-13 (MD) | Sal Pole | 31-40/16' 31-40/14' | 5 5 | 10 Nos. |
| 27 | D/34/GPS/ABH/P/2012-13 (MD) | Sal Pole (Bend) | 51-60/12' | | 28 Nos. |
| 28 | D/35/GPS/ABH/P/2012-13 (MD) | Sal Pole (Bend) | 61 above/20' 61 above/16' 61 above/14' | 1 6 6 | 13 Nos. |
| 29 | D/36/GPS/ABH/P/2012-13 (MD) | Sal Pole | 51-60/14' | | 40 Nos. |
| 30 | D/38/GPS/ABH/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/16' | | 38 Nos. |
| 31 | D/40/GPS/ABH/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/12' | | 27 Nos. |

| | | | | | |
|---------------------------|------------------------------|-------------------------|-----------------------------------------------------------------------------|------------------------|-------------|
| 32 | D/41/GPS/ABH/P/2012-13 (MD) | Sal Pole (Bend) | 51-60/8' 51-60/10' 51-60/12' | 1 3 11 | 15 Nos. |
| 33 | D/43/GPS/ABH/P/2012-13 (MD) | Sal Pole (Bend) | 61 above/8' 61 above/10' 61 above/12' 61 above/14' 61 above/16' | 1 3 5 10 3 | 22 Nos. |
| 34 | D/44/GPS/ABH/P/2012-13 (MD) | Sal Pole | 61 above/14' | | 17 Nos. |
| 35 | D/45/GPS/ABH/P/2012-13 (MD) | Sal Pole | 41-50/16' 41-50/14' | 5 10 | 15 Nos. |
| 36 | D/46/GPS/ABH/P/2012-13 (MD) | Sal Pole | 31-40/14' | | 15 Nos. |
| 37 | D/47/GPS/ABH/P/2012-13 (MD) | Sal Pole | 51-60/14' 51-60/16' | 16 3 | 19 Nos. |
| 38 | D/48/GPS/ABH/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/8' 51-60/14' 51-60/12' 41-50/10' 41-50/12' | 1 2 6 11 9 | 29 Nos. |
| 39 | D/49/GPS/ABH/P/2012-13 (MD) | Sal Pole | 51-60/10' 51-60/14' 51-60/16' | 2 20 6 | 28 Nos. |
| 40 | D/51/GPS/ABH/P/2012-13 (MD) | Sal Pole | 31-40/12' 31-40/10' | 5 13 | 18 Nos. |
| 41 | D/52/GPS/ABH/P/2012-13 (MD) | Sal Pole | 61 above/8' 51-60/8' | 1 6 | 7 Nos. |
| 42 | D/53/GPS/ABH/P/2012-13 (MD) | Sal Pole | 41-50/8' 31-40/8' | 11 12 | 23 Nos. |
| 43 | D/54/GPS/ABH/P/2012-13 (MD) | Sal Pole | 41-50/14' 41-50/16' | 54 10 | 64 Nos. |
| 44 | D/55/GPS/ABH/P/2012-13 (MD) | Sal Pole | 31-40/10' 41-50/10' | 7 11 | 18 Nos. |
| Depot:- Godapiasal | | CFC: Bhangabandh | | | |
| 45 | D/01/GPS/BGB/ST/2012-13 (MD) | Sal Short timber | | | 28.260 cum. |
| 46 | D/02/GPS/BGB/ST/2012-13 (MD) | Sal Short timber | | | 23.814 cum. |
| 47 | D/03/GPS/BGB/ST/2012-13 (MD) | Sal Short timber | | | 23.688 cum. |
| 48 | D/04/GPS/BGB/ST/2012-13 (MD) | Sal Short timber | | | 23.751 cum. |
| 49 | D/05/GPS/BGB/ST/2012-13 (MD) | Sal Short timber | | | 24.381 cum. |
| 50 | D/06/GPS/BGB/ST/2012-13 (MD) | Sal Short timber | | | 15.936 cum. |
| 51 | D/07/GPS/BGB/FW/2012-13 (MD) | Sal Fire Wood | | | 34.124 cum. |
| 52 | D/08/GPS/BGB/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/16' | | 23 Nos. |
| 53 | D/09/GPS/BGB/P/2012-13 (MD) | Sal Pole | 41-50/14' | | 56 Nos. |
| 54 | D/10/GPS/BGB/P/2012-13 (MD) | Sal Pole | 61 above/12' | | 09 Nos. |
| 55 | D/11/GPS/BGB/P/2012-13 (MD) | Sal Pole | 31-40/12' | | 20 Nos. |
| 56 | D/12/GPS/BGB/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/14' | | 132 Nos. |
| 57 | D/13/GPS/BGB/P/2012-13 (MD) | Sal Pole | 41-50/14' | | 143 Nos. |
| 58 | D/14/GPS/BGB/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/14' 41-50/16' | 55 60 | 115 Nos. |
| 59 | D/16/GPS/BGB/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/16' | | 153 Nos. |
| 60 | D/17/GPS/BGB/P/2012-13 (MD) | Sal Pole | 51-60/14' | | 80 Nos. |
| 61 | D/18/GPS/BGB/P/2012-13 (MD) | Sal Pole | 51-60/10' | | 05 Nos. |
| 62 | D/19/GPS/BGB/P/2012-13 (MD) | Sal Pole | 41-50/16' | | 141 Nos. |
| 63 | D/20/GPS/BGB/P/2012-13 (MD) | Sal Pole (Bend) | 51-60/16' | | 40 Nos. |
| 64 | D/21/GPS/BGB/P/2012-13 (MD) | Sal Pole | 41-50/16' | | 191 Nos. |
| 65 | D/22/GPS/BGB/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/12' | | 43 Nos. |
| 66 | D/23/GPS/BGB/P/2012-13 (MD) | Sal Pole | 51-60/16' | | 102 Nos. |

| | | | | | |
|------------------------------------------|-----------------------------|-----------------|--------------|----|----------|
| 67 | D/24/GPS/BGB/P/2012-13 (MD) | Sal Pole (Bend) | 51-60/12' | | 15 Nos. |
| 68 | D/25/GPS/BGB/P/2012-13 (MD) | Sal Pole (Bend) | 51-60/14' | | 71 Nos. |
| 69 | D/26/GPS/BGB/P/2012-13 (MD) | Sal Pole | 51-60/12' | | 34 Nos. |
| 70 | D/27/GPS/BGB/P/2012-13 (MD) | Sal Pole | 61 above/12' | | 14 Nos. |
| 71 | D/28/GPS/BGB/P/2012-13 (MD) | Sal Pole | 61 above/14' | | 32 Nos. |
| 72 | D/29/GPS/BGB/P/2012-13 (MD) | Sal Pole | 61 above/16' | | 13 Nos. |
| 73 | D/30/GPS/BGB/P/2012-13 (MD) | Sal Pole | 31-40/14' | 93 | |
| | | | 31-40/16' | 80 | 173 Nos. |
| 74 | D/31/GPS/BGB/P/2012-13 (MD) | Sal Pole (Bend) | 31-40/12' | | 19 Nos. |
| 75 | D/32/GPS/BGB/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/14' | | 81 Nos. |
| 76 | D/33/GPS/BGB/P/2012-13 (MD) | Sal Pole | 41-50/10' | | 10 Nos. |
| 77 | D/34/GPS/BGB/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/12' | 4 | |
| | | | 41-50/14' | 10 | 14 Nos. |
| 78 | D/35/GPS/BGB/P/2012-13 (MD) | Sal Pole | 51-60/16' | | 16 Nos. |
| 79 | D/36/GPS/BGB/P/2012-13 (MD) | Sal Pole | 31-40/12' | 2 | |
| | | | 31-40/14' | 8 | |
| | | | 31-40/16' | 37 | 47 Nos. |
| 80 | D/37/GPS/BGB/P/2012-13 (MD) | Sal Pole | 51-60/14' | 8 | |
| | | | 51-60/16' | 2 | 10 Nos. |
| 81 | D/38/GPS/BGB/P/2012-13 (MD) | Sal Pole | 41-50/16' | | 78 Nos. |
| 82 | D/39/GPS/BGB/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/16' | | 29 Nos. |
| Depot:- Godapiasal CFC: Baluchura | | | | | |
| 83 | D/04/GPS/BLC/P/2012-13 (MD) | Sal Pole (Bend) | 21-30/10' | | 190 Nos. |
| 84 | D/05/GPS/BLC/P/2012-13 (MD) | Sal Pole (Bend) | 51-60/10' | | 54 Nos. |
| 85 | D/07/GPS/BLC/P/2012-13 (MD) | Sal Pole (Bend) | 31-40/10' | | 356 Nos. |
| 86 | D/08/GPS/BLC/P/2012-13 (MD) | Sal Pole | 21-30/10' | | 64 Nos. |
| 87 | D/10/GPS/BLC/P/2012-13 (MD) | Sal Pole | 31-40/10' | | 119 Nos. |
| 88 | D/11/GPS/BLC/P/2012-13 (MD) | Sal Pole | 51-60/10' | | 64 Nos. |
| 89 | D/12/GPS/BLC/P/2012-13 (MD) | Sal Pole | 61 above/10' | 11 | |
| | | | 61 above/12' | 14 | 25 Nos. |
| 90 | D/13/GPS/BLC/P/2012-13 (MD) | Sal Pole (Bend) | 31-40/12' | 7 | |
| | | | 31-40/14' | 3 | |
| | | | 31-40/16' | 23 | 33 Nos. |
| 91 | D/14/GPS/BLC/P/2012-13 (MD) | Sal Pole (Bend) | 51-60/16' | | 12 Nos. |
| 92 | D/15/GPS/BLC/P/2012-13 (MD) | Sal Pole (Bend) | 51-60/12' | | 54 Nos. |
| 93 | D/16/GPS/BLC/P/2012-13 (MD) | Sal Pole | 21-30/12' | | 35 Nos. |
| 94 | D/17/GPS/BLC/P/2012-13 (MD) | Sal Pole (Bend) | 61 above/10' | 9 | |
| | | | 61 above/12' | 6 | 15 Nos. |
| 95 | D/18/GPS/BLC/P/2012-13 (MD) | Sal Pole | 31-40/12' | | 10 Nos. |
| 96 | D/19/GPS/BLC/P/2012-13 (MD) | Sal Pole (Bend) | 31-40/12' | | 271 Nos. |
| 97 | D/20/GPS/BLC/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/12' | | 207 Nos. |
| 98 | D/21/GPS/BLC/P/2012-13 (MD) | Sal Pole | 31-40/12' | | 169 Nos. |
| 99 | D/22/GPS/BLC/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/12' | | 139 Nos. |
| 100 | D/23/GPS/BLC/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/16' | | 48 Nos. |
| 101 | D/24/GPS/BLC/P/2012-13 (MD) | Sal Pole (Bend) | 51-60/10' | | 32 Nos. |
| 102 | D/26/GPS/BLC/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/10' | | 136 Nos. |
| 103 | D/27/GPS/BLC/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/12' | | 103 Nos. |
| 104 | D/28/GPS/BLC/P/2012-13 (MD) | Sal Pole (Bend) | 61 above/16' | | 10 Nos. |
| 105 | D/29/GPS/BLC/P/2012-13 (MD) | Sal Pole | 51-60/10' | 23 | |
| | | | 51-60/12' | 6 | 29 Nos. |
| 106 | D/30/GPS/BLC/P/2012-13 (MD) | Sal Pole | 31-40/10' | | 52 Nos. |
| 107 | D/31/GPS/BLC/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/12' | | 46 Nos. |
| 108 | D/32/GPS/BLC/P/2012-13 (MD) | Sal Pole (Bend) | 31-40/10' | | 264 Nos. |
| 109 | D/34/GPS/BLC/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/10' | | 160 Nos. |

| | | | | | |
|-----|------------------------------|-----------------------|--------------------------------------------------|-------------------|-------------|
| 110 | D/35/GPS/BLC/P/2012-13 (MD) | Sal Pole | 51-60/10' 51-60/12' 61 above/10' | 23 4 3 | 30 Nos. |
| 111 | D/36/GPS/BLC/P/2012-13 (MD) | Sal Pole | 41-50/10' | | 72 Nos. |
| 112 | D/37/GPS/BLC/ST/2012-13 (MD) | Sal Short timber | | | 24.759 cum. |
| 113 | D/38/GPS/BLC/ST/2012-13 (MD) | Sal Short timber | | | 24.003 cum. |
| 114 | D/39/GPS/BLC/ST/2012-13 (MD) | Sal Short timber | | | 23.814 cum. |
| 115 | D/40/GPS/BLC/ST/2012-13 (MD) | Sal Short timber | | | 7.686 cum. |
| | Depot:- Godapiasal | CFC: Lohatikri | | | |
| 116 | D/57/GPS/LTK/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/12' | | 60 Nos. |
| 117 | D/58/GPS/LTK/P/2012-13 (MD) | Sal Pole (Bend) | 31-40/12' | | 42 Nos. |
| 118 | D/60/GPS/LTK/P/2012-13 (MD) | Sal Pole | 41-50/14' | | 07 Nos. |
| 119 | D/61/GPS/LTK/P/2012-13 (MD) | Sal Pole (Bend) | 51-60/10' | | 17 Nos. |
| 120 | D/62/GPS/LTK/P/2012-13 (MD) | Sal Pole | 61 above/10' | | 25 Nos. |
| 121 | D/63/GPS/LTK/P/2012-13 (MD) | Sal Pole (Bend) | 31-40/12' | | 84 Nos. |
| 122 | D/64/GPS/LTK/P/2012-13 (MD) | Sal Pole | 31-40/12' | | 21 Nos. |
| 123 | D/65/GPS/LTK/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/12' | | 94 Nos. |
| 124 | D/66/GPS/LTK/P/2012-13 (MD) | Sal Pole (Bend) | 61 above/10' 61 above/12' 61 above/14' | 31 3 1 | 35 Nos. |
| 125 | D/67/GPS/LTK/P/2012-13 (MD) | Sal Pole | 51-60/12' | | 15 Nos. |
| 126 | D/69/GPS/LTK/P/2012-13 (MD) | Sal Pole | 31-40/12' | | 39 Nos. |
| 127 | D/71/GPS/LTK/P/2012-13 (MD) | Sal Pole (Bend) | 61 above/10' 61 above/12' | 20 8 | 28 Nos. |
| 128 | D/72/GPS/LTK/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/16' | | 35 Nos. |
| 129 | D/73/GPS/LTK/P/2012-13 (MD) | Sal Pole (Bend) | 51-60/10' | | 68 Nos. |
| 130 | D/74/GPS/LTK/P/2012-13 (MD) | Sal Pole (Bend) | 51-60/14' 51-60/16' | 4 6 | 10 Nos. |
| 131 | D/75/GPS/LTK/P/2012-13 (MD) | Sal Pole | 31-40/10' 31-40/12' 31-40/14' 31-40/16' | 31 6 4 2 | 43 Nos. |
| 132 | D/76/GPS/LTK/P/2012-13 (MD) | Sal Pole | 61 above/10' 61 above/12' | 2 1 | 3 Nos. |
| 133 | D/77/GPS/LTK/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/10' | | 25 Nos. |
| 134 | D/78/GPS/LTK/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/10' | | 279 Nos. |
| 135 | D/79/GPS/LTK/P/2012-13 (MD) | Sal Pole (Bend) | 31-40/10' | | 41 Nos. |
| 136 | D/80/GPS/LTK/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/10' | | 115 Nos. |
| 137 | D/81/GPS/LTK/P/2012-13 (MD) | Sal Pole (Bend) | 31-40/10' | | 322 Nos. |
| 138 | D/82/GPS/LTK/P/2012-13 (MD) | Sal Pole (Bend) | 31-40/10' | | 392 Nos. |
| 139 | D/83/GPS/LTK/P/2012-13 (MD) | Sal Pole (Bend) | 51-60/12' | | 13 Nos. |
| 140 | D/84/GPS/LTK/P/2012-13 (MD) | Sal Pole | 31-40/10' | | 222 Nos. |
| 141 | D/85/GPS/LTK/P/2012-13 (MD) | Sal Pole | 41-50/10' | | 33 Nos. |
| 142 | D/86/GPS/LTK/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/10' | | 257 Nos. |
| 143 | D/87/GPS/LTK/P/2012-13 (MD) | Sal Pole (Bend) | 51-60/14' 51-60/16' | 7 11 | 18 Nos. |
| 144 | D/88/GPS/LTK/P/2012-13 (MD) | Sal Pole (Bend) | 51-60/10' | | 101 Nos. |
| 145 | D/89/GPS/LTK/P/2012-13 (MD) | Sal Pole (Bend) | 31-40/14' 31-40/16' | 4 8 | 12 Nos. |
| 146 | D/90/GPS/LTK/P/2012-13 (MD) | Sal Pole (Bend) | 51-60/10' | | 57 Nos. |
| 147 | D/91/GPS/LTK/P/2012-13 (MD) | Sal Pole (Bend) | 61 above/10' 61 above/14' | 9 7 | 16 Nos. |
| 148 | D/92/GPS/LTK/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/10' | | 305 Nos. |
| 149 | D/93/GPS/LTK/P/2012-13 (MD) | Sal Pole | 31-40/14' 31-40/16' | 1 16 | 17 Nos. |

| | | | | | |
|-----|-------------------------------|-------------------------|--------------|----------|-------------|
| 150 | D/94/GPS/LTK/P/2012-13 (MD) | Sal Pole | 51-60/14' | 3 | |
| | | | 51-60/12' | 14 | 17 Nos. |
| 151 | D/95/GPS/LTK/P/2012-13 (MD) | Sal Pole | 31-40/10' | | 290 Nos. |
| 152 | D/96/GPS/LTK/P/2012-13 (MD) | Sal Pole (Bend) | 31-40/10' | | 79 Nos. |
| 153 | D/97/GPS/LTK/P/2012-13 (MD) | Sal Pole (Bend) | 31-40/10' | | 378 Nos. |
| 154 | D/98/GPS/LTK/P/2012-13 (MD) | Sal Pole (Bend) | 61 above/14' | 5 | |
| | | | 61 above/16' | 10 | 15 Nos. |
| 155 | D/99/GPS/LTK/P/2012-13 (MD) | Sal Pole (Bend) | 21-30/10' | | 270 Nos. |
| 156 | D/100/GPS/LTK/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/10' | 55 | |
| | | | 51-60/10' | 18 | 73 Nos. |
| 157 | D/101/GPS/LTK/P/2012-13 (MD) | Sal Pole (Bend) | 31-40/10' | | 84 Nos. |
| 158 | D/102/GPS/LTK/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/10' | | 224 Nos. |
| 159 | D/103/GPS/LTK/P/2012-13 (MD) | Sal Pole (Bend) | 31-40/10' | | 394 Nos. |
| 160 | D/104/GPS/LTK/P/2012-13 (MD) | Sal Pole (Bend) | 51-60/10' | | 60 Nos. |
| 161 | D/105/GPS/LTK/FW/2012-13 (MD) | Sal Firewood | | | 19.711 cum. |
| 162 | D/106/GPS/LTK/ST/2012-13 (MD) | Sal Short Timber | | | 20.787cum. |
| 163 | D/107/GPS/LTK/ST/2012-13 (MD) | Sal Short Timber | | | 23.940 cum. |
| 164 | D/108/GPS/LTK/ST/2012-13 (MD) | Sal Short Timber | | | 22.050 cum. |
| 165 | D/109/GPS/LTK/ST/2012-13 (MD) | Sal Short Timber | | | 20.727 cum. |
| 166 | D/111/GPS/LTK/CS/2012-13 (MD) | Sal Cogg. Sleeper | (Bend) | 5'x5"x5" | 48 Nos. |
| 167 | D/112/GPS/LTK/CS/2012-13 (MD) | Sal Cogg. Sleeper | (Bend) | 4'x4"x4" | 234 Nos. |
| 168 | D/117/GPS/LTK/CS/2012-13 (MD) | Sal Cogg. Sleeper | (Bend) | 4'x4"x4" | 345 Nos. |
| 169 | D/118/GPS/LTK/CS/2012-13 (MD) | Sal Cogg. Sleeper | (Bend) | 5'x5"x5" | 181 Nos. |
| | Depot:- Godapiasal | CFC: Dakshinsole | | | |
| 170 | D/01/GPS/DKS/FW/2012-13 (MD) | Sal Fire Wood | | | 32.211 cum. |
| 171 | D/02/GPS/DKS/P/2012-13 (MD) | Sal Pole | 41-50/16' | | 158 Nos. |
| 172 | D/03/GPS/DKS/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/14' | 39 | |
| | | | 41-50/16' | 93 | 132 Nos. |
| 173 | D/04/GPS/DKS/P/2012-13 (MD) | Sal Pole | 51-60/16' | 77 | |
| | | | 51-60/18' | 3 | 80 Nos. |
| 174 | D/06/GPS/DKS/P/2012-13 (MD) | Sal Pole | 31-40/10' | 16 | |
| | | | 31-40/12' | 14 | 30 Nos. |
| 175 | D/07/GPS/DKS/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/10' | | 25 Nos. |
| 176 | D/08/GPS/DKS/P/2012-13 (MD) | Sal Pole | 41-50/10' | | 31 Nos. |
| 177 | D/09/GPS/DKS/P/2012-13 (MD) | Sal Pole (Bend) | 51-60/14' | | 20 Nos. |
| 178 | D/10/GPS/DKS/P/2012-13 (MD) | Sal Pole (Bend) | 51-60/16' | | 67 Nos. |
| 179 | D/11/GPS/DKS/P/2012-13 (MD) | Sal Pole | 61 above/14' | 2 | |
| | | | 61 above/16' | 16 | 18 Nos. |
| 180 | D/12/GPS/DKS/P/2012-13 (MD) | Sal Pole (Bend) | 51-60/12' | | 13 Nos. |
| 181 | D/13/GPS/DKS/P/2012-13 (MD) | Sal Pole | 41-50/14' | | 16 Nos. |
| 182 | D/14/GPS/DKS/P/2012-13 (MD) | Sal Pole | 31-40/14' | 2 | |
| | | | 31-40/16' | 12 | 14 Nos. |
| 183 | D/15/GPS/DKS/P/2012-13 (MD) | Sal Pole (Bend) | 31-40/10' | 8 | |
| | | | 31-40/12' | 15 | |
| | | | 31-40/14' | 3 | 26 Nos. |
| 184 | D/16/GPS/DKS/P/2012-13 (MD) | Sal Pole | 51-60/10' | | 08 Nos. |
| 185 | D/17/GPS/DKS/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/12' | | 44 Nos. |
| 186 | D/18/GPS/DKS/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/10' | | 13 Nos. |
| 187 | D/19/GPS/DKS/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/16' | | 116 Nos. |
| 188 | D/20/GPS/DKS/P/2012-13 (MD) | Sal Pole | 31-40/10' | 8 | |
| | | | 41-50/12' | 16 | 24 Nos. |
| 189 | D/21/GPS/DKS/P/2012-13 (MD) | Sal Pole (Bend) | 51-60/12' | | 08 Nos. |
| 190 | D/22/GPS/DKS/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/14' | | 14 Nos. |
| 191 | D/23/GPS/DKS/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/10' | | 11 Nos. |
| 192 | D/24/GPS/DKS/P/2012-13 (MD) | Sal Pole | 51-60/10' | 7 | |
| | | | 51-60/12' | 6 | 13 Nos. |

| | | | | | |
|-----|------------------------------|-----------------------|-------------------------------------|--------------|-------------|
| 193 | D/25/GPS/DKS/P/2012-13 (MD) | Sal Pole | 51-60/14' | | 05 Nos. |
| 194 | D/26/GPS/DKS/P/2012-13 (MD) | Sal Pole (Bend) | 51-60/16' | | 14 Nos. |
| 195 | D/27/GPS/DKS/P/2012-13 (MD) | Sal Pole | 41-50/14' | | 04 Nos. |
| 196 | D/28/GPS/DKS/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/16' | | 52 Nos. |
| 197 | D/29/GPS/DKS/P/2012-13 (MD) | Sal Pole (Bend) | 51-60/12' 51-60/16' 51-60/20' | 1 22 1 | 24 Nos. |
| 198 | D/30/GPS/DKS/P/2012-13 (MD) | Sal Pole | 51-60/16' 51-60/20' | 37 1 | 38 Nos. |
| 199 | D/32/GPS/DKS/P/2012-13 (MD) | Sal Pole | 41-50/16' | | 90 Nos. |
| 200 | D/33/GPS/DKS/P/2012-13 (MD) | Sal Pole | 51-60/12' | | 12 Nos. |
| | Depot:- Godapiasal | CFC: Hudansole | | | |
| 201 | D/23/GPS/HDS/CS/2012-13 (MD) | Sal Cogg. Sleeper | (Bend) | 5'x5"x5" | 135 Nos. |
| 202 | D/24/GPS/HDS/ST/2012-13 (MD) | Sal Fire Wood | | | 32.100 cum. |
| 203 | D/25/GPS/HDS/FW/2012-13 (MD) | Sal Fire Wood | | | 23.587 cum. |
| 204 | D/26/GPS/HDS/FW/2012-13 (MD) | Sal Fire Wood | | | 22.780 cum. |
| 205 | D/27/GPS/HDS/FW/2012-13 (MD) | Sal Fire Wood | | | 22.443 cum. |
| 206 | D/28/GPS/HDS/FW/2012-13 (MD) | Sal Fire Wood | | | 22.949 cum. |
| 207 | D/29/GPS/HDS/FW/2012-13 (MD) | Sal Fire Wood | | | 22.499 cum. |
| 208 | D/30/GPS/HDS/FW/2012-13 (MD) | Sal Fire Wood | | | 22.500 cum. |
| 209 | D/31/GPS/HDS/P/2012-13 (MD) | Sal Pole | 61 above/12' | | 06 Nos. |
| 210 | D/32/GPS/HDS/P/2012-13 (MD) | Sal Pole | 51-60/12' | | 09 Nos. |
| 211 | D/33/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 51-60/10' | | 28 Nos. |
| 212 | D/34/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 61 above/10' | | 07 Nos. |
| 213 | D/35/GPS/HDS/P/2012-13 (MD) | Sal Pole | 51-60/14' | | 50 Nos. |
| 214 | D/37/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/14' | | 49 Nos. |
| 215 | D/38/GPS/HDS/P/2012-13 (MD) | Sal Pole | 61 above/14' | | 38 Nos. |
| 216 | D/39/GPS/HDS/P/2012-13 (MD) | Sal Pole | 51-60/10' | | 22 Nos. |
| 217 | D/40/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 61 above/14' | | 11 Nos. |
| 218 | D/41/GPS/HDS/T/2012-13 (MD) | Sal Timber | 14' | 5 nos. | 0.588 cum. |
| 219 | D/42/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 51-60/14' | | 40 Nos. |
| 220 | D/43/GPS/HDS/P/2012-13 (MD) | Sal Pole | 41-50/14' | | 18 Nos. |
| 221 | D/44/GPS/HDS/P/2012-13 (MD) | Sal Pole | 31-40/10' | | 28 Nos. |
| 222 | D/45/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 51-60/8' | | 14 Nos. |
| 223 | D/46/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/8' | | 13 Nos. |
| 224 | D/47/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 51-60/12' | | 03 Nos. |
| 225 | D/48/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 31-40/14' | | 06 Nos. |
| 226 | D/49/GPS/HDS/T/2012-13 (MD) | Sal Timber | 10',12' | 14 nos. | 1.316 cum. |
| 227 | D/50/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 51-60/12' | | 10 Nos. |
| 228 | D/51/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 31-40/12' | | 09 Nos. |
| 229 | D/52/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 61 above/10' | | 14 Nos. |
| 230 | D/53/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/10' | | 71 Nos. |
| 231 | D/54/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/12' | | 32 Nos. |
| 232 | D/55/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 31-40/10' | | 44 Nos. |
| 233 | D/56/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 31-40/10' | | 07 Nos. |
| 234 | D/57/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/8' 51-60/8' | 21 10 | 31 Nos. |
| 235 | D/58/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 51-60/10' | | 65 Nos. |
| 236 | D/59/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/10' | | 98 Nos. |
| 237 | D/60/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/12' | | 66 Nos. |
| 238 | D/61/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 31-40/8' | | 30 Nos. |
| 239 | D/62/GPS/HDS/P/2012-13 (MD) | Sal Pole | 51-60/10' | | 23 Nos. |
| 240 | D/63/GPS/HDS/P/2012-13 (MD) | Sal Pole | 61 above/10' | | 09 Nos. |
| 241 | D/64/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/16' 51-60/16' | 9 9 | 18 Nos. |
| 242 | D/65/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 61 above/12' | | 18 Nos. |

| | | | | | |
|-----|------------------------------|-----------------|-----------------|---------|------------|
| 243 | D/66/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/10' | | 107 Nos. |
| 244 | D/67/GPS/HDS/P/2012-13 (MD) | Sal Pole | 61 above/14' | | 44 Nos. |
| 245 | D/68/GPS/HDS/P/2012-13 (MD) | Sal Pole | 61 above/12' | | 28 Nos. |
| 246 | D/69/GPS/HDS/P/2012-13 (MD) | Sal Pole | 51-60/12' | | 35 Nos. |
| 247 | D/70/GPS/HDS/P/2012-13 (MD) | Sal Pole | 41-50/16' | | 20 Nos. |
| 248 | D/71/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 61 above/8' | | 08 Nos. |
| 249 | D/72/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 61 above/14' | | 36 Nos. |
| 250 | D/73/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 51-60/12' | | 41 Nos. |
| 251 | D/74/GPS/HDS/P/2012-13 (MD) | Sal Pole | 41-50/12' | | 78 Nos. |
| 252 | D/75/GPS/HDS/P/2012-13 (MD) | Sal Pole | 61 above/14' | | 50 Nos. |
| 253 | D/76/GPS/HDS/T/2012-13 (MD) | Sal Timber | 12',14',16' | 31 nos. | 3.556 cum. |
| 254 | D/77/GPS/HDS/T/2012-13 (MD) | Sal Timber | 10',12',14',16' | 30 nos. | 3.396 cum. |
| 255 | D/78/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/14' | | 120 Nos. |
| 256 | D/79/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/12' | | 81 Nos. |
| 257 | D/80/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 61 above/14' | | 39 Nos. |
| 258 | D/81/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 61 above/16' | | 07 Nos. |
| 259 | D/82/GPS/HDS/P/2012-13 (MD) | Sal Pole | 61 above/16' | | 19 Nos. |
| 260 | D/83/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 51-60/14' | | 54 Nos. |
| 261 | D/84/GPS/HDS/P/2012-13 (MD) | Sal Pole | 51-60/14' | | 55 Nos. |
| 262 | D/85/GPS/HDS/P/2012-13 (MD) | Sal Pole | 51-60/14' | | 29 Nos. |
| 263 | D/86/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 51-60/14' | | 69 Nos. |
| 264 | D/87/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/14' | | 148 Nos. |
| 265 | D/88/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 31-40/10' | 141 | |
| | | | 31-40/12' | 55 | 196 Nos. |
| 266 | D/89/GPS/HDS/P/2012-13 (MD) | Sal Pole | 61 above/10' | | 11 Nos. |
| 267 | D/90/GPS/HDS/P/2012-13 (MD) | Sal Pole | 41-50/12' | | 42 Nos. |
| 268 | D/91/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 61 above/8' | 2 | |
| | | | 61 above/10' | 30 | 32 Nos. |
| 269 | D/92/GPS/HDS/P/2012-13 (MD) | Sal Pole | 61 above/12' | 1 | |
| | | | 61 above/14' | 14 | 15 Nos. |
| 270 | D/93/GPS/HDS/P/2012-13 (MD) | Sal Pole | 51-60/16' | | 21 Nos. |
| 271 | D/94/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 31-40/8' | 2 | |
| | | | 31-40/10' | 9 | 11 Nos. |
| 272 | D/95/GPS/HDS/P/2012-13 (MD) | Sal Pole | 61 above/12' | | 19 Nos. |
| 273 | D/96/GPS/HDS/P/2012-13 (MD) | Sal Pole | 61 above/14' | | 23 Nos. |
| 274 | D/97/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 51-60/14' | | 33 Nos. |
| 275 | D/98/GPS/HDS/P/2012-13 (MD) | Sal Pole | 51-60/12' | | 50 Nos. |
| 276 | D/99/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 51-60/10' | | 30 Nos. |
| 277 | D/100/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/14' | | 64 Nos. |
| 278 | D/101/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 51-60/12' | | 23 Nos. |
| 279 | D/102/GPS/HDS/P/2012-13 (MD) | Sal Pole | 51-60/14' | | 48 Nos. |
| 280 | D/103/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/12' | | 24 Nos. |
| 281 | D/104/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 51-60/8' | | 05 Nos. |
| 282 | D/105/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/10' | | 83 Nos. |
| 283 | D/106/GPS/HDS/T/2012-13 (MD) | Sal Timber | 12',14' | 13 nos. | 1.333 cum. |
| 284 | D/107/GPS/HDS/P/2012-13 (MD) | Sal Pole | 41-50/10' | | 36 Nos. |
| 285 | D/108/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 61 above/12' | | 11 Nos. |
| 286 | D/109/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/8' | | 08 Nos. |
| 287 | D/110/GPS/HDS/P/2012-13 (MD) | Sal Pole | 51-60/10' | | 17 Nos. |
| 288 | D/111/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 51-60/10' | | 57 Nos. |
| 289 | D/112/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/10' | | 94 Nos. |
| 290 | D/113/GPS/HDS/P/2012-13 (MD) | Sal Pole | 51-60/10' | | 08 Nos. |
| 291 | D/114/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 31-40/10' | | 53 Nos. |
| 292 | D/115/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 61 above/8' | 3 | |
| | | | 61 above/10' | 15 | 18 Nos. |
| 293 | D/116/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 51-60/14' | | 90 Nos. |

| | | | | | |
|-----|------------------------------|-------------------------------|---------------------|---------|----------------|
| 294 | D/117/GPS/HDS/P/2012-13 (MD) | Sal Pole | 31-40/12' | | 39 Nos. |
| 295 | D/118/GPS/HDS/P/2012-13 (MD) | Sal Pole | 61 above/12' | | 39 Nos. |
| 296 | D/119/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 31-40/14' | | 35 Nos. |
| 297 | D/120/GPS/HDS/P/2012-13 (MD) | Sal Pole | 41-50/10' | | 75 Nos. |
| 298 | D/121/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/14' | | 40 Nos. |
| 299 | D/122/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/16' | 11 | |
| | | | 51-60/16' | 8 | 19 Nos. |
| 300 | D/123/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 51-60/12' | | 45 Nos. |
| 301 | D/124/GPS/HDS/P/2012-13 (MD) | Sal Pole | 51-60/16' | | 07 Nos. |
| 302 | D/125/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/12' | | 88 Nos. |
| 303 | D/126/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 61 above/14' | | 53 Nos. |
| 304 | D/127/GPS/HDS/P/2012-13 (MD) | Sal Pole | 61 above/14' | | 48 Nos. |
| 305 | D/128/GPS/HDS/P/2012-13 (MD) | Sal Pole | 41-50/12' | | 13 Nos. |
| 306 | D/129/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/14' | | 97 Nos. |
| 307 | D/130/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/8' | | 40 Nos. |
| 308 | D/131/GPS/HDS/P/2012-13 (MD) | Sal Pole | 61 above/8' | 4 | |
| | | | 61 above/10' | 11 | 15 Nos. |
| 309 | D/132/GPS/HDS/T/2012-13 (MD) | Sal Timber | 12',14',16' | 25 nos. | 2.890 cum. |
| 310 | D/133/GPS/HDS/T/2012-13 (MD) | Sal Timber | 10',12',14',16' | 19 nos. | 2.091 cum. |
| 311 | D/134/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 61 above/12' | | 13 Nos. |
| 312 | D/135/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 61 above/14' | | 18 Nos. |
| 313 | D/136/GPS/HDS/P/2012-13 (MD) | Sal Pole | 61 above/16' | | 17 Nos. |
| 314 | D/137/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 51-60/16' | | 03 Nos. |
| 315 | D/138/GPS/HDS/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/12' | | 22 Nos. |
| 316 | D/139/GPS/HDS/P/2012-13 (MD) | Sal Pole | 61 above/14' | | 18 Nos. |
| 317 | D/140/GPS/HDS/P/2012-13 (MD) | Sal Pole | 51-60/12' | | 40 Nos. |
| | Depot:- Godapiasal | CFC: Ghagrasole | | | |
| 318 | D/01/GPS/GRS/P/2012-13 (MD) | Sal Pole | 41-50/10' | 2 | |
| | | | 41-50/12' | 24 | 26 Nos. |
| 319 | D/02/GPS/GRS/P/2012-13 (MD) | Sal Pole | 51-60/10' | 3 | |
| | | | 51-60/12' | 13 | |
| | | | 51-60/14' | 1 | 17 Nos. |
| | Depot : Godapeasal | FPC :- Lohatikri | | | |
| 320 | D/07/GPS/LTK/P/2012-13 (MD) | Sal Pole (Band) | 41-50/14' | 12 | |
| | | | 31-40/14' | 17 | 29 Nos. |
| | Depot : Organja | FPC : Bankibundh | | | |
| 321 | D/27/ORJ/BKB/P/2012-13 (MD) | Euc. Pole | 31-40/16' | 14 | |
| | | | 41-50/16' | 8 | 22 Nos |
| | Depot : Organja | FPC : Bella Maharajpur | | | |
| 322 | D/16/ORJ/BMP/P/2012-13 (MD) | Sal Pole | 31-40/16' | 6 | |
| | | | 41-50/16' | 2 | |
| | | | 51-60/16' | 2 | |
| | | | 61-70/16' | 6 | |
| | | | 41-50/20' | 6 | 22 nos |
| | Depot : Organja | FPC : Chorkul | | | |
| 323 | D/20/ORJ/CRK/P/2012-13 (MD) | Sal Pole (Bend) | 31-40/16' | 35 | |
| | | | 41-50/16' | 57 | 92 nos |
| 324 | D/30/ORJ/CRK/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/16' | 33 | |
| | | | 51-60/16' | 14 | |
| | | | 61-70/16' | 8 | 55 nos |
| | Depot : Baromesia | FPC : Kesia | | | |
| 325 | D/31/BM/KSA/P/2012-13 (RD) | Sal Pole | 51-60/18' | 4 | |
| | | | 51-60/20' | 14 | |
| | | | 41-50/20' | 2 | |
| | | | 51-60/16' | 9 | |
| | | | 41-50/18'/61-70/16' | 9+2 | 40 nos |

| Depot : Keyamacha FPC : Gangduari | | | | | |
|-----------------------------------------------|------------------------------|------------------|--------------------------------------------------|--------------------|--------------------|
| 326 | D/33/KM/GDR/P/2012-13 (MD) | Sal Pole (Bend) | 31-40/16' 41-50/16' 51-60/16' | 65 51 10 | 126 nos |
| 327 | D/60/KM/GDR/P/2012-13 (MD) | Sal Pole (Bend) | 31-40/16' 41-50/16' | 30 6 | 36 nos |
| Depot : Godapeasal FPC : Muchiberia | | | | | |
| 328 | D/37/GPS/MCB/P/2012-13 (MD) | Sal Pole(Bend) | 41-50/14' | | 24 nos |
| 329 | D/42/GPS/MCB/P/2012-13 (MD) | Sal Pole(Bend) | 31-40/12' | | 56 nos |
| Depot : Organja FPC :Bela Maharajpur | | | | | |
| 330 | D/40/ORJ/BMP/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/16' 41-50/20' | 7 4 | 11 nos |
| Depot : Organja FPC : Balarampur | | | | | |
| 331 | D/06/ORJ/BLP/P/2012-13 (MD) | Sal Pole (Bend) | 61-70/20' 61-70/18' | 54 1 | 55 nos |
| 332 | D/07/ORJ/BLP/P/2012-13 (MD) | Sal Pole (Bend) | 51-60/16' | | 83 nos |
| 333 | D/09/ORJ/BLP/P/2012-13 (MD) | Sal Pole (Bend) | 31-40/16' 41-50/16' 31-40/14' 41-50/14' | 17 63 6 4 | 90 nos |
| Depot : Godapeasal FPC : Janakpur | | | | | |
| 334 | D/41/GPS/JKP/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/14' | | 27 nos |
| 335 | D/42/GPS/JKP/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/14' | | 21 nos |
| Depot : Keyamacha FPC : Omrapata | | | | | |
| 336 | D/34/KM/OMP/P/2012-13 (MD) | Sal Pole (Bend) | 31-40/16' 41-50/16' 51-60/16' | 18 3 10 | 31 nos |
| Depot : Keyamacha FPC : Bagpichla | | | | | |
| 337 | D/19/KM/BPL/P/2012-13 (MD) | Euc Pole (Bend) | 31-40/16' 41-50/16' | 55 9 | 64 nos |
| 338 | D/24/KM/BPL/P/2012-13 (MD) | Euc Pole | 31-40/12' 41-50/12' | 14 14 | 28 nos |
| 339 | D/25/KM/BPL/P/2012-13 (MD) | Euc Pole (Bend) | 21-30/16' | | 43 nos |
| Depot : Pirakata FPC : Bhumij Dhansola | | | | | |
| 340 | D/42/PKT/BDS/ST/2012-13 (MD) | Sal Short Timber | | | 23.121cu.m. |
| Depot : Pirakata FPC : Sarberia | | | | | |
| 341 | D/25/PKT/SBR/P/2012-13 (MD) | Sal Pole | 31-40/10' 31-40/12' | 25 20 | 45 nos |
| Depot:- Pirakata CFC: Bircard | | | | | |
| 342 | D/07/PKT/BKD/P/2012-13 (MD) | Sal Pole | 61 above/7' 61 above/12' 61 above/16' | 2 7 1 | 10 Nos. |
| 343 | D/09/PKT/BKD/P/2012-13 (MD) | Sal Pole | 51-60/16' | | 152 Nos. |
| 344 | D/10/PKT/BKD/P/2012-13 (MD) | Sal Pole | 41-50/14' | | 130 Nos. |
| 345 | D/11/PKT/BKD/P/2012-13 (MD) | Sal Pole | 51-60/12' | | 82 Nos. |
| Depot:- Pirakata CFC: Bhumij Dhansola | | | | | |
| 346 | D/53/PKT/BDS/P/2012-13 (MD) | Sal Pole | 31-40/12' | | 57 Nos. |
| 347 | D/69/PKT/BDS/P/2012-13 (MD) | Sal Pole | 31-40/12' | | 08 Nos. |
| 348 | D/70/PKT/BDS/P/2012-13 (MD) | Sal Pole | 41-50/14' | | 40 Nos. |
| 349 | D/94/PKT/BDS/P/2012-13 (MD) | Sal Pole | 41-50/12' 41-50/16' 51-60/12' | 10 6 5 | 21 Nos. |
| 350 | D/152/PKT/BDS/P/2012-13 (MD) | Sal Pole | 51-60/16' | | 180 Nos. |
| 351 | D/153/PKT/BDS/P/2012-13 (MD) | Sal Pole | 51-60/16' | | 34 Nos. |

| Depot:- Godapiasal | | CFC: Chaita | | | |
|---------------------------|------------------------------|-----------------------|----------------------------------------------------------------------------|----------------------------|------------|
| 352 | D/18/GPS/CTA/L/2012-13 (MD) | Euc Log (Bend) | 8', 9', 10', 12' | 15 Nos. | 1.820 cum. |
| 353 | D/19/GPS/CTA/L/2012-13 (MD) | Euc Log | 12' | 33 Nos. | 4.320 cum. |
| 354 | D/20/GPS/CTA/L/2012-13 (MD) | Euc Log | 12' | 16 Nos. | 2.306 cum. |
| 355 | D/23/GPS/CTA/L/2012-13 (MD) | Euc Log | 12', 14' | 27 Nos. | 3.541 cum. |
| 356 | D/26/GPS/CTA/L/2012-13 (MD) | Euc Log | 12', 16' | 16 Nos. | 2.156 cum. |
| 357 | D/30/GPS/CTA/L/2012-13 (MD) | Euc Log | 6' 8' | 18 Nos. | 1.677 cum. |
| 358 | D/32/GPS/CTA/L/2012-13 (MD) | Euc Log (Bend) | 12', 15' | 28 Nos. | 3.508 cum. |
| 359 | D/40/GPS/CTA/L/2012-13 (MD) | Euc Log (Bend) | 7', 8', 9' | 12 Nos. | 1.313 cum. |
| 360 | D/41/GPS/CTA/L/2012-13 (MD) | Euc Log | 12' 16' | 22 Nos. | 2.841 cum. |
| 361 | D/55/GPS/CTA/P/2012-13 (MD) | Euc Pole | 41-50/10' 41-50/12' 41-50/14' 51-60/10' 51-60/12' 51-60/14' | 4 7 3 4 4 1 | 23 Nos. |
| Depot:- Godapiasal | | CFC: Bankisole | | | |
| 362 | D/03/GPS/BKS/P/2012-13 (MD) | Sal Pole | 41-50/14' | | 34 Nos. |
| 363 | D/07/GPS/BKS/P/2012-13 (MD) | Sal Pole | 31-40/12' 31-40/14' 31-40/16' | 1 3 15 | 19 Nos. |
| 364 | D/11/GPS/BKS/P/2012-13 (MD) | Sal Pole (Bend) | 51-60/12' 51-60/14' 51-60/16' | 1 3 4 | 08 Nos. |
| 365 | D/12/GPS/BKS/P/2012-13 (MD) | Sal Pole | 51-60/14' 51-60/16' | 10 2 | 12 Nos. |
| Depot:- Keyamacha | | CFC: Omrapata | | | |
| 366 | D/28/KM/OMP/CS/2012-13 (MD) | Sal Cogg. Sleeper | (High Girth) | 5'x5"x5" | 18 Nos. |
| Depot:- Keyamacha | | CFC: Kusmasuli | | | |
| 368 | D/87/KM/KMS/P/2012-13 (RD) | Sal Pole(Bend) | 31-40/16' 41-50/16' 51-60/16' | 1 7 12 | 20 Nos. |
| 369 | D/94/KM/KMS/P/2012-13 (RD) | Sal Pole | 51-60/10' 61-70/12' | 2 5 | 07 Nos. |
| 370 | D/95/KM/KMS/P/2012-13 (RD) | Sal Pole | 41-50/16' 51-60/16' 61-70/16' 61-70/20' | 2 8 10 2 | 22 Nos. |
| 371 | D/113/KM/KMS/FW/2012-13 (RD) | Sal Fire Wood | (High Girth) | | 3.285 cum. |
| 372 | D/119/KM/KMS/P/2012-13 (RD) | Sal Pole | 41-50/16' | | 67 Nos. |
| Depot:- Keyamacha | | CFC: Orma | | | |
| 373 | D/06/KM/KMS/P/2012-13 (RD) | Sal Pole (Bend) | 31-40/16' 41-50/16' | 70 59 | 129 Nos. |
| 374 | D/10/KM/KMS/P/2012-13 (RD) | Sal Pole (Bend) | 21-30/16' 31-40/16' 41-50/16' | 10 58 10 | 78 Nos. |
| 375 | D/12/KM/ORM/P/2012-13 (RD) | Sal Pole | 31-40/16' | | 247 Nos. |
| 376 | D/16/KM/KMS/P/2012-13 (RD) | Sal Pole | 41-50/14' 51-60/12' 51-60/14' | 24 17 7 | 48 Nos. |
| 377 | D/20/KM/ORM/P/2012-13 (RD) | Sal Pole | 51-60/16' | | 70 Nos. |
| 378 | D/21/KM/ORM/P/2012-13 (RD) | Sal Pole | 31-40/16' | | 180 Nos. |
| 379 | D/24/KM/ORM/P/2012-13 (RD) | Sal Pole | 31-40/16' | | 333 Nos. |
| 380 | D/26/KM/ORM/P/2012-13 (RD) | Sal Pole | 31-40/14' | | 247 Nos. |
| 381 | D/29/KM/ORM/P/2012-13 (RD) | Sal Pole | 31-40/14' | | 166 Nos. |

| | | | | | |
|-----|-----------------------------|----------------------------|-----------------------------------------------------------------------------------------|-------------------------------------|-------------|
| 382 | D/30/KM/ORM/P/2012-13 (RD) | Sal Pole | 31-40/14' | | 163 Nos. |
| 383 | D/33/KM/ORM/P/2012-13 (RD) | Sal Pole | 41-50/14' | | 147 Nos. |
| 384 | D/37KM/ORM/P/2012-13 (RD) | Sal Pole | 31-40/14' | | 173 Nos. |
| 385 | D/38/KM/ORM/P/2012-13 (RD) | Sal Pole | 31-40/14' | | 199 Nos. |
| 386 | D/39/KM/ORM/P/2012-13 (RD) | Sal Pole | 31-40/14' | | 116 Nos. |
| 387 | D/40/KM/ORM/P/2012-13 (RD) | Sal Pole | 41-50/14' | | 84 Nos. |
| 388 | D/42/KM/ORM/P/2012-13 (RD) | Sal Pole | 31-40/14' | | 131 Nos. |
| 389 | D/43/KM/ORM/P/2012-13 (RD) | Sal Pole | 41-50/14' | | 142 Nos. |
| 390 | D/46/KM/ORM/P/2012-13 (RD) | Sal Pole | 31-40/14' | | 158 Nos. |
| 391 | D/47/KM/ORM/P/2012-13 (RD) | Sal Pole | 31-40/14' | | 118 Nos. |
| 392 | D/48/KM/ORM/P/2012-13 (RD) | Sal Pole | 51-60/14' | | 43 Nos. |
| 393 | D/49/KM/ORM/P/2012-13 (RD) | Sal Pole | 41-50/14' | | 121 Nos. |
| 394 | D/50/KM/ORM/P/2012-13 (RD) | Sal Pole | 31-40/14' | | 150 Nos. |
| 395 | D/52/KM/ORM/P/2012-13 (RD) | Sal Pole | 31-40/14' | | 187 Nos. |
| | Depot:- Keyamacha | CFC: Teshabandh | | | |
| 396 | D/28/KM/TSB/P/2012-13 (RD) | Sal Pole (Bend) | 31-40/10' 41-50/12' 41-50/14' 41-50/10' 41-50/16' 51-60/16' 61-70/12' | 6 6 12 10 15 15 2 | 66 Nos. |
| 397 | D/37/KM/TSB/P/2012-13 (RD) | Sal Pole | 61-70/16' 51-60/16' | 10 33 | 43 Nos. |
| 398 | D/40/KM/TSB/P/2012-13 (RD) | Sal Pole | 51-60/16' | | 108 Nos. |
| 399 | D/45/KM/TSB/P/2012-13 (RD) | Sal Pole | 41-50/14' | | 59 Nos. |
| 400 | D/46/KM/TSB/P/2012-13 (RD) | Sal Pole | 51-60/16' | | 113 Nos. |
| 401 | D/48/KM/TSB/P/2012-13 (RD) | Sal Pole | 51-60/16' | | 37 Nos. |
| 402 | D/52/KM/TSB/P/2012-13 (RD) | Sal Pole | 61-70/16' | | 65 Nos. |
| 403 | D/57/KM/TSB/P/2012-13 (RD) | Sal Pole | 31-40/16' | | 80 Nos. |
| 404 | D/58/KM/TSB/P/2012-13 (RD) | Sal Pole (Bend) | 41-50/12' 41-50/16' 51-60/12' 51-60/16' 61-70/16' | 10 55 20 20 2 | 107 Nos. |
| 405 | D/66/KM/TSB/P/2012-13 (RD) | Sal Pole | 41-50/14' 51-60/12' 51-60/14' | 24 8 16 | 48 Nos. |
| 406 | D/69/KM/TSB/P/2012-13 (RD) | Sal Pole | 51-60/16' | | 58 Nos. |
| | Depot:- Keyamacha | CFC: Mohanpur | | | |
| 407 | D/38/KM/MHP/P/2012-13 (RD) | Sal Pole (Bend) | 31-40/16' 41-50/16' 51-60/16' | 7 27 24 | 58 Nos. |
| 408 | D/54/KM/MHP/ST/2012-13 (RD) | Sal Short Timber | | | 27.054 cum. |
| | Depot:- Keyamacha | CFC: Teshabandh | | | |
| 409 | D/86/KM/TSB/P/2012-13 (RD) | Sal Pole | 61-70/20' 70-80/20' | 39 16 | 55 Nos. |
| 410 | D/87/KM/TSB/P/2012-13 (RD) | Sal Pole | 61-70/16' | | 31 Nos. |
| 411 | D/88/KM/TSB/P/2012-13 (RD) | Sal Pole | 41-50/14' | | 24 Nos. |
| 412 | D/89/KM/TSB/P/2012-13 (RD) | Sal Pole | 41-50/14' 51-60/14' | 34 12 | 46 Nos. |
| 413 | D/91/KM/TSB/P/2012-13 (RD) | Sal Pole | 31-40/16' | | 63 Nos. |
| | Depot:- Keyamacha | CFC: Bishnupur -III | | | |
| 414 | D/01/KM/BSP/P/2012-13 (MD) | Sal Pole | 51-60/12' | | 26 Nos. |
| 415 | D/02/KM/BSP/P/2012-13 (MD) | Sal Pole | 61-70/12' | | 49 Nos. |

| | | | | | |
|------------------------|-----------------------------|------------------------|-------------------------------------|--------------|----------|
| 416 | D/03/KM/BSP/P/2012-13 (MD) | Sal Pole | 51-60/16' 61-70/16' | 46 10 | 56 Nos. |
| 417 | D/04/KM/BSP/P/2012-13 (MD) | Sal Pole | 51-60/16' | | 85 Nos. |
| 418 | D/05/KM/BSP/P/2012-13 (MD) | Sal Pole | 61-70/12' | | 24 Nos. |
| 419 | D/06/KM/BSP/P/2012-13 (MD) | Sal Pole | 41-50/16' | | 28 Nos. |
| 420 | D/07/KM/BSP/P/2012-13 (MD) | Sal Pole | 41-50/16' | | 70 Nos. |
| 421 | D/08/KM/BSP/P/2012-13 (MD) | Sal Pole | 41-50/12' | | 75 Nos. |
| 422 | D/10/KM/BSP/P/2012-13 (MD) | Sal Pole | 70 above/12' | | 28 Nos. |
| Depot:- Organja | | CFC: Ukhla | | | |
| 423 | D/46/ORJ/UKL/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/16' 51-60/16' 61-70/16' | 18 7 5 | 30 Nos. |
| 424 | D/58/ORJ/UKL/P/2012-13 (MD) | Sal Pole | 41-50/16' | | 14 Nos. |
| Depot:- Organja | | CFC: Balarampur | | | |
| 425 | D/12/ORJ/BLP/P/2012-13 (MD) | Sal Pole | 51-60/18' 51-60/20' | 11 30 | 41 Nos. |
| 426 | D/13/ORJ/BLP/P/2012-13 (MD) | Sal Pole | 41-50/18' 41-50/20' | 7 10 | 17 Nos. |
| 427 | D/14/ORJ/BLP/P/2012-13 (MD) | Sal Pole | 61-70/10' 61-70/12' | 1 90 | 91 Nos. |
| 428 | D/15/ORJ/BLP/P/2012-13 (MD) | Sal Pole | 41-50/10' 41-50/12' | 16 100 | 116 Nos. |
| 429 | D/17/ORJ/BLP/P/2012-13 (MD) | Sal Pole (Bend) | 51-60/16' | | 35 Nos. |
| 430 | D/19/ORJ/BLP/P/2012-13 (MD) | Sal Pole | 61-70/16' | | 17 Nos. |
| 431 | D/22/ORJ/BLP/P/2012-13 (MD) | Sal Pole (Bend) | 31-40/12' | | 45 Nos. |
| 432 | D/24/ORJ/BLP/P/2012-13 (MD) | Sal Pole | 61-70/20' 70 above/20' | 34 8 | 42 Nos. |
| 433 | D/25/ORJ/BLP/P/2012-13 (MD) | Sal Pole | 51-60/16' | | 84 Nos. |
| 434 | D/26/ORJ/BLP/P/2012-13 (MD) | Sal Pole (Bend) | 51-60/16' | | 30 Nos. |
| 435 | D/29/ORJ/BLP/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/16' | | 55 Nos. |
| 436 | D/34/ORJ/BLP/P/2012-13 (MD) | Sal Pole (Bend) | 51-60/16' | | 25 Nos. |
| 437 | D/37/ORJ/BLP/P/2012-13 (MD) | Sal Pole (Bend) | 31-40/16' | | 18 Nos. |
| 438 | D/40/ORJ/BLP/P/2012-13 (MD) | Sal Pole | 41-50/16' | | 164 Nos. |
| 439 | D/42/ORJ/BLP/P/2012-13 (MD) | Sal Pole | 31-40/16' | | 230 Nos. |
| 440 | D/43/ORJ/BLP/P/2012-13 (MD) | Sal Pole (Bend) | 31-40/16' 41-50/16' | 23 27 | 50 Nos. |
| 441 | D/44/ORJ/BLP/P/2012-13 (MD) | Sal Pole | 41-50/16' | | 180 Nos. |
| 442 | D/47/ORJ/BLP/P/2012-13 (MD) | Sal Pole (Bend) | 31-40/16' 41-50/16' | 20 88 | 108 Nos. |
| 443 | D/48/ORJ/BLP/P/2012-13 (MD) | Sal Pole | 41-50/16' | | 192 Nos. |
| 444 | D/49/ORJ/BLP/P/2012-13 (MD) | Sal Pole | 31-40/16' | | 211 Nos. |
| 445 | D/51/ORJ/BLP/P/2012-13 (MD) | Sal Pole (Bend) | 51-60/20' | | 54 Nos. |
| 446 | D/53/ORJ/BLP/P/2012-13 (MD) | Sal Pole | 31-40/12' | | 88 Nos. |
| 447 | D/54/ORJ/BLP/P/2012-13 (MD) | Sal Pole | 31-40/16' | | 163 Nos. |
| 448 | D/55/ORJ/BLP/P/2012-13 (MD) | Sal Pole | 41-50/10' 41-50/12' | 52 15 | 67 Nos. |
| 449 | D/56/ORJ/BLP/P/2012-13 (MD) | Sal Pole | 61-70/16' | | 21 Nos. |
| 450 | D/57/ORJ/BLP/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/16' | | 101 Nos. |
| 451 | D/58/ORJ/BLP/P/2012-13 (MD) | Sal Pole | 51-60/16' | | 120 Nos. |
| 452 | D/59/ORJ/BLP/P/2012-13 (MD) | Sal Pole (Bend) | 31-40/16' | | 229 Nos. |
| 453 | D/60/ORJ/BLP/P/2012-13 (MD) | Sal Pole (Bend) | 31-40/16' | | 113 Nos. |
| 454 | D/61/ORJ/BLP/P/2012-13 (MD) | Sal Pole | 41-50/16' | | 185 Nos. |
| 455 | D/62/ORJ/BLP/P/2012-13 (MD) | Sal Pole | 41-50/16' | | 184 Nos. |
| 456 | D/63/ORJ/BLP/P/2012-13 (MD) | Sal Pole | 31-40/16' | | 212 Nos. |
| 457 | D/64/ORJ/BLP/P/2012-13 (MD) | Sal Pole | 41-50/16' | | 195 Nos. |
| 458 | D/65/ORJ/BLP/P/2012-13 (MD) | Sal Pole (Bend) | 31-40/10' | 2 | |

| | | | | | |
|-----|-------------------------------|-----------------|-------------------------|---------|------------|
| | | | 31-40/12' | 37 | |
| | | | 51-60/12' | 8 | 47 Nos. |
| 459 | D/66/ORJ/BLP/P/2012-13 (MD) | Sal Pole (Bend) | 31-40/16' | 26 | |
| | | | 41-50/16' | 25 | 51 Nos. |
| 460 | D/67/ORJ/BLP/P/2012-13 (MD) | Sal Pole | 41-50/16' | | 169 Nos. |
| 461 | D/68/ORJ/BLP/P/2012-13 (MD) | Sal Pole | 31-40/16' | | 277 Nos. |
| 462 | D/69/ORJ/BLP/P/2012-13 (MD) | Sal Pole | 51-60/16' | | 67 Nos. |
| 463 | D/70/ORJ/BLP/P/2012-13 (MD) | Sal Pole | 41-50/16' | | 179 Nos. |
| 464 | D/71/ORJ/BLP/P/2012-13 (MD) | Sal Pole (Bend) | 51-60/16' | | 29 Nos. |
| 465 | D/72/ORJ/BLP/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/12' | 28 | |
| | | | 51-60/10' | 5 | 33 Nos. |
| 466 | D/76/ORJ/BLP/T/2012-13 (MD) | Sal Timber | 6',7',8', | 46 nos | 3.192 cum. |
| | Depot:- Baromesia | | CFC: Gangarampur | | |
| 467 | D/32/BM/GRP/P/2012-13 (RD) | Sal Pole | 61-70/16' | | 60 Nos. |
| 468 | D/34/BM/GRP/P/2012-13 (RD) | Sal Pole | 51-60/16' | 20 | |
| | | | 41-50/16' | 7 | 27 Nos. |
| 469 | D/40/BM/GRP/P/2012-13 (RD) | Sal Pole | 51-60/16' | | 89 Nos. |
| 470 | D/51/BM/GRP/P/2012-13 (RD) | Sal Pole | 51-60/16' | | 69 Nos. |
| 471 | D/64/BM/GRP/P/2012-13 (RD) | Sal Pole | 61-70/20' | | 43 Nos. |
| | Depot:- Baromesia | | CFC: Kesia | | |
| 472 | D/38/BM/KSA/P/2012-13 (RD) | Sal Pole | 51-60/12' | 6 | |
| | | | 51-60/20' | 11 | |
| | | | 70 above/20' | 6 | 23 Nos. |
| | Depot:- Baromesia | | CFC: Hatia | | |
| 473 | D/15/BM/HTA/P/2012-13 (RD) | Sal Pole | 41-50/16' | | 93 Nos. |
| 474 | D/21/BM/HTA/P/2012-13 (RD) | Sal Pole | 31-40/14' | 5 | |
| | | | 31-40/16' | 15 | 20 Nos. |
| | Depot:- Baromesia | | CFC: Cachuria | | |
| 475 | D/15/BM/CCR/P/2012-13 (RD) | Sal Pole | 51-60/16' | | 52 Nos. |
| | Depot:- Pirakata | | CFC: Jamirgote | | |
| 476 | D/01/PKT/JMT/P/2012-13 (MD) | Sal Pole | 41-50/10' | | 67 Nos. |
| 477 | D/02/PKT/JMT/P/2012-13 (MD) | Sal Pole | 41-50/14' | | 23 Nos. |
| 478 | D/03/PKT/JMT/P/2012-13 (MD) | Sal Pole | 41-50/12' | | 34 Nos. |
| 479 | D/04/PKT/JMT/P/2012-13 (MD) | Sal Pole | 41-50/16' | | 13 Nos. |
| 480 | D/11/PKT/JMT/P/2012-13 (MD) | Sal Pole | 41-50/14' | 9 | |
| | | | 51-60/16' | 3 | |
| | | | 61 above/14' | 3 | 15 Nos. |
| 481 | D/20/PKT/JMT/T/2012-13 (MD) | Sal Timber | 12' | 15 nos. | 1.612 cum. |
| 482 | D/21/PKT/JMT/T/2012-13 (MD) | Sal Timber | 10' | 8 nos. | 0.995 cum. |
| 483 | D/35/PKT/JMT/P/2012-13 (MD) | Sal Pole | 51-60/16' | | 35 Nos. |
| 484 | D/36/PKT/JMT/P/2012-13 (MD) | Sal Pole | 51-60/14' | | 21 Nos. |
| 485 | D/37/PKT/JMT/P/2012-13 (MD) | Sal Pole | 51-60/8' | 1 | |
| | | | 51-60/12' | 83 | 84 Nos. |
| 486 | D/41/PKT/JMT/P/2012-13 ((MD) | Sal Pole | 41-50/10' | | 12 Nos. |
| 487 | D/44/PKT/JMT/T/2012-13 (MD) | Sal Timber | | 5 nos. | 0.456 cum. |
| 488 | D/45/PKT/JMT/P/2012-13 (MD) | Sal Pole | 51-60/14' | | 12 Nos. |
| 489 | D/46/PKT/JMT/P/2012-13 (MD) | Sal Pole | 41-50/14' | 16 | |
| | | | 41-50/16' | 1 | 17 Nos. |
| 490 | D/54/PKT/JMT/FW/2012-13 (MD) | Sal Fire Wood | | | 1.068 cum. |
| 491 | D/64/PKT/JMT/T/2012-13 (MD) | Sal Timber | | 17 nos. | 1.378 cum. |
| 492 | D/65/PKT/JMT/P/2012-13 (MD) | Sal Pole | 51-60/16' | 114 | |
| | | | 51-60/18' | 01 | 115 Nos. |

| | | | | | |
|-----|-----------------------------|----------|-------------|---|--|
| 493 | D/71/PKT/JMT/P/2012-13 (MD) | Sal Pole | 61 above/8' | 2 | |
|-----|-----------------------------|----------|-------------|---|--|

| | | | | | |
|-----|----------------------------|-----------------|----------------------|---------|-------------|
| | | | 41-50/14' | 7 | |
| | | | 41-50/16' | 16 | 25 Nos. |
| | Depot:- Keyamacha | | CFC: Bakisole | | |
| 494 | D/01/KM/BKS/P/2012-13 (RD) | Sal Pole (Bend) | 41-50/16' | 40 | |
| | | | 51-60/16' | 15 | 55 Nos. |
| 495 | D/14/KM/BKS/P/2012-13 (RD) | Sal Pole | 61-70/18' | 27 | |
| | | | 61-70/20' | 14 | 41 Nos. |
| 496 | D/16/KM/BKS/P/2012-13 (RD) | Sal Pole | 41-50/16' | | 39 Nos. |
| 497 | D/17/KM/BKS/P/2012-13 (RD) | Sal Pole | 41-50/14' | | 31 Nos. |
| 498 | D/22/KM/BKS/P/2012-13 (RD) | Sal Pole | 41-50/12' | | 23 Nos. |
| 499 | D/23/KM/BKS/P/2012-13 (RD) | Sal Pole | 61-70/12' | 10 | |
| | | | 70 above/12' | 23 | 33 Nos. |
| 500 | D/27/KM/BKS/P/2012-13 (RD) | Sal Pole | 31-40/12' | 31 | |
| | | | 41-50/14' | 25 | 56 Nos. |
| 501 | D/28/KM/BKS/P/2012-13 (RD) | Sal Pole (Bend) | 31-40/16' | 10 | |
| | | | 41-50/16' | 64 | 74 Nos. |
| 502 | D/34/KM/BKS/P/2012-13 (RD) | Sal Pole | 51-60/16' | 13 | |
| | | | 61-70/16' | 2 | 15 Nos. |
| 503 | D/35/KM/BKS/P/2012-13 (RD) | Sal Pole | 51-60/20' | 4 | |
| | | | 70 above/16' | 1 | |
| | | | 70 above/20' | 2 | 07 Nos. |
| 504 | D/36/KM/BKS/P/2012-13 (RD) | Sal Pole (Bend) | 41-50/14' | 3 | |
| | | | 41-50/16' | 5 | 08 Nos. |
| 505 | D/37/KM/BKS/P/2012-13 (RD) | Sal Pole | 41-50/10' | 5 | |
| | | | 51-60/12' | 2 | |
| | | | 51-60/14' | 11 | 18 Nos. |
| 506 | D/41/KM/BKS/P/2012-13 (RD) | Sal Pole | 31-40/12' | 10 | |
| | | | 41-50/14' | 9 | 19 Nos. |
| 507 | D/43/KM/BKS/P/2012-13 (RD) | Sal Pole | 41-60/7' | | 16 Nos. |
| 508 | D/44/KM/BKS/T/2012-13 (RD) | Sal Timber | | 29 Nos. | 1.726 Cu.m. |
| 509 | D/47/KM/BKS/P/2012-13 (RD) | Sal Pole | 61-70/14' | 5 | |
| | | | 51-60/14' | 11 | 16 Nos. |
| 510 | D/48/KM/BKS/P/2012-13 (RD) | Sal Pole (Bend) | 41-50/14' | 2 | |
| | | | 51-60/14' | 8 | |
| | | | 61-70/14' | 5 | 15 Nos. |
| 511 | D/51/KM/BKS/P/2012-13 (RD) | Sal Pole | 41-50/14' | 3 | |
| | | | 41-50/16' | 3 | |
| | | | 51-60/20' | 8 | 14 Nos. |
| 512 | D/52/KM/BKS/P/2012-13 (RD) | Sal Pole | 51-60/16' | 6 | |
| | | | 61-70/14' | 5 | |
| | | | 61-70/18' | 1 | 12 Nos. |
| 513 | D/53/KM/BKS/P/2012-13 (RD) | Sal Pole | 51-60/10' | 2 | |
| | | | 51-60/14' | 12 | 14 Nos. |
| 514 | D/54/KM/BKS/P/2012-13 (RD) | Sal Pole | 61-70/16' | 1 | |
| | | | 61-70/18' | 14 | |
| | | | 70 above/18' | 12 | 27 Nos. |
| 515 | D/55/KM/BKS/T/2012-13 (RD) | Sal Timber | | 26 Nos. | 1.872 Cu.m. |
| 516 | D/56/KM/BKS/T/2012-13 (RD) | Sal Timber | | 29 Nos. | 1.750 Cu.m. |
| 517 | D/58/KM/BKS/T/2012-13 (RD) | Sal Timber | | 7 Nos. | 0.415 Cu.m. |
| 518 | D/59/KM/BKS/P/2012-13 (RD) | Sal Pole | 41-50/10' | 5 | |
| | | | 41-50/16' | 17 | |
| | | | 51-60/12' | 7 | 29 Nos. |
| 519 | D/60/KM/BKS/P/2012-13 (RD) | Sal Pole | 41-50/12' | 9 | |
| | | | 41-50/14' | 5 | |
| | | | 41-50/18'/51-60/10' | 1+8 | 23 Nos. |
| 520 | D/61/KM/BKS/P/2012-13 (RD) | Sal Pole | 51-60/16' | 25 | |

| | | | | | |
|-----|-----------------------------|------------|---------------------------------------------------------------|-------------------------|-------------|
| | | | 61-70/10' | 5 | 30 Nos. |
| 521 | D/62/KM/BKS/T/2012-13 (RD) | Sal Timber | | 17 Nos. | 1.222 Cu.m. |
| | Depot:- Keyamacha | | CFC: Mohanpur | | |
| 522 | D/62/KM/MHP/P/2012-13 (RD) | Sal Pole | 41-50/14' 41-50/16' 31-40/16' | 14 3 4 | 21 nos |
| 523 | D/63/KM/MHP/P/2012-13 (RD) | | 51-60/16' | | 24 nos |
| 524 | D/64/KM/MHP/P/2012-13 (RD) | | 61-70/6' | | 39 nos |
| 525 | D/74/KM/MHP/P/2012-13 (RD) | Sal Pole | 31-40/16' 41-50/14' 41-50/16' | 7 4 9 | 20 nos |
| 526 | D/82/KM/MHP/P/2012-13 (RD) | Sal Pole | 41-50/18' | | 11 nos |
| 527 | D/86/KM/MHP/P/2012-13 (RD) | Sal Pole | 41-50/14' | | 27 nos |
| 528 | D/98/KM/MHP/P/2012-13 (RD) | Sal Pole | 51-60/20' | | 54 Nos. |
| 529 | D/99/KM/MHP/P/2012-13 (RD) | Sal Pole | 31-40/16' | | 151 Nos. |
| 530 | D/100/KM/MHP/P/2012-13 (RD) | Sal Pole | 31-40/12' | | 29 Nos. |
| 531 | D/107/KM/MHP/P/2012-13 (RD) | Sal Pole | 31-40/12' | | 52 Nos. |
| 532 | D/135/KM/MHP/P/2012-13 (RD) | Sal Pole | 41-50/16' | | 122 Nos. |
| 533 | D/161/KM/MHP/P/2012-13 (RD) | Sal Pole | 31-40/16' 41-50/16' 41-50/18' 51-60/18' 61-70/18' | 10 23 5 3 1 | 42 Nos. |
| 534 | D/163/KM/MHP/P/2012-13 (RD) | Sal Pole | 51-60/16' | | 32 Nos. |
| 535 | D/164/KM/MHP/P/2012-13 (RD) | Sal Pole | 41-50/14' 41-50/16' | 13 40 | 53 Nos. |
| 536 | D/171/KM/MHP/P/2012-13 (RD) | Sal Pole | 31-40/16' 41-50/16' | 30 85 | 115 Nos. |
| 537 | D/172/KM/MHP/P/2012-13 (RD) | Sal Pole | 41-50/14' | | 38 Nos. |
| 538 | D/176/KM/MHP/P/2012-13 (RD) | Sal Pole | 31-40/14' 31-40/16' 41-50/16' | 3 47 21 | 71 Nos. |
| 539 | D/179/KM/MHP/P/2012-13 (RD) | Sal Pole | 31-40/12' 41-50/12' | 15 50 | 65 Nos. |
| 540 | D/186/KM/MHP/P/2012-13 (RD) | Sal Pole | 41-50/8' 41-50/10' 41-50/12' 41-50/16' | 2 3 10 13 | 28 Nos. |
| 541 | D/193/KM/MHP/P/2012-13 (RD) | Sal Pole | 31-40/12' 31-40/14' 41-50/12' | 43 24 29 | 96 Nos. |
| 542 | D/194/KM/MHP/P/2012-13 (RD) | Sal Pole | 41-50/16' 41-50/18' 51-60/18' | 48 3 5 | 56 Nos. |
| 543 | D/199/KM/MHP/P/2012-13 (RD) | Sal Pole | 41-50/12' 51-60/12' 51-60/14' 51-60/16' | 5 4 14 28 | 51 Nos. |
| 544 | D/200/KM/MHP/P/2012-13 (RD) | Sal Pole | 41-50/16' 51-60/16' | 60 5 | 65 Nos. |
| 545 | D/201/KM/MHP/P/2012-13 (RD) | Sal Pole | 41-50/12' 41-50/14' 41-50/16' | 25 11 35 | 71 Nos. |
| 546 | D/202/KM/MHP/P/2012-13 (RD) | Sal Pole | 41-50/14' 51-60/14' | 6 6 | 12 Nos. |
| 547 | D/203/KM/MHP/P/2012-13 (RD) | Sal Pole | 41-50/12' | 7 | |

| | | | | | |
|------------------------------------------|-----------------------------|-----------------|-----------|---------|-------------|
| | | | 41-50/16' | 34 | |
| | | | 51-60/12' | 10 | 51 Nos. |
| 548 | D/205/KM/MHP/P/2012-13 (RD) | Sal Pole | 41-50/12' | 8 | |
| | | | 41-50/18' | 10 | |
| | | | 51-60/14' | 4 | |
| | | | 51-60/20' | 14 | 36 Nos. |
| 549 | D/206/KM/MHP/P/2012-13 (RD) | Sal Pole | 51-60/14' | | 39 Nos. |
| 550 | D/209/KM/MHP/P/2012-13 (RD) | Sal Pole | 51-60/12' | 12 | |
| | | | 51-60/14' | 10 | |
| | | | 61-70/14' | 4 | 26 Nos. |
| 551 | D/218/KM/MHP/P/2012-13 (RD) | Sal Pole | 41-50/12' | 22 | |
| | | | 41-50/14' | 6 | 28 Nos. |
| 552 | D/219/KM/MHP/P/2012-13 (RD) | Sal Pole | 41-50/16' | | 60 Nos. |
| 553 | D/221/KM/MHP/P/2012-13 (RD) | Sal Pole | 41-50/14' | 4 | |
| | | | 41-50/16' | 4 | |
| | | | 51-60/10' | 5 | |
| | | | 51-60/14' | 8 | 21 Nos. |
| 554 | D/224/KM/MHP/P/2012-13 (RD) | Sal Pole | 41-50/14' | 6 | |
| | | | 41-50/16' | 9 | |
| | | | 61-70/14' | 7 | |
| | | | 61-70/16' | 12 | 34 Nos. |
| 555 | D/225/KM/MHP/P/2012-13 (RD) | Sal Pole | 31-40/16' | 23 | |
| | | | 41-50/12' | 15 | |
| | | | 51-60/18' | 2 | 40 Nos. |
| 556 | D/226/KM/MHP/P/2012-13 (RD) | Sal Pole | 31-40/16' | 10 | |
| | | | 41-50/7' | 2 | |
| | | | 41-50/12' | 2 | |
| | | | 51-60/16' | 3 | |
| | | | 61-70/16' | 3 | 20 Nos. |
| 557 | D/230/KM/MHP/T/2012-13 (RD) | Sal Timber | | 83 nos. | 5.100 cu.m. |
| 558 | D/231/KM/MHP/T/2012-13 (RD) | Sal Timber | | 65 nos | 4.230 cu.m. |
| 559 | D/232/KM/MHP/T/2012-13 (RD) | Sal Timber | | 18 nos | 2.510 cu.m. |
| Depot :- Keyamacha, Gangduyari | | | | | |
| 560 | D/65/KM/GDR/P/2012-13 (MD) | Sal Pole | 31-40/12' | 4 | |
| | | | 31-40/16' | 8 | |
| | | | 41-50/12' | 5 | |
| | | | 41-50/14' | 2 | 19 Nos. |
| Depot:- Keyamacha CFC: Orma | | | | | |
| 561 | D/55/KM/ORM/P/2012-13 (RD) | Sal Pole | 31-40/16' | | 103 Nos. |
| 562 | D/59/KM/ORM/P/2012-13 (RD) | Sal Pole | 41-50/14' | | 121 Nos. |
| 563 | D/68/KM/ORM/P/2012-13 (RD) | Sal Pole (Bend) | 51-60/16' | | 17 Nos. |
| 564 | D/89/KM/ORM/P/2012-13 (RD) | Sal Pole | 31-40/16' | | 96 Nos. |
| 565 | D/92/KM/ORM/P/2012-13 (RD) | Sal Pole | 41-50/16' | | 163Nos. |
| 566 | D/96/KM/ORM/P/2012-13 (RD) | Sal Pole | 61-70/20' | | 17 Nos. |
| Depot:- Keyamacha CFC: Teshabandh | | | | | |
| 567 | D/96/KM/TSB/P/2012-13 (RD) | Sal Pole (Bend) | 31-40/14' | 37 | |
| | | | 41-50/14' | 10 | |
| | | | 51-60/14' | 10 | 57 Nos. |
| 568 | D/108/KM/TSB/P/2012-13 (RD) | Sal Pole | 51-60/14' | | 24 Nos. |
| 569 | D/113/KM/TSB/P/2012-13 (RD) | Sal Pole | 41-50/20' | | 09 Nos. |
| 570 | D/116/KM/TSB/P/2012-13 (RD) | Sal Pole | 31-40/12' | | 15 Nos. |
| 571 | D/117/KM/TSB/P/2012-13 (RD) | Sal Pole | 51-60/10' | | 10 Nos. |
| 572 | D/119/KM/TSB/P/2012-13 (RD) | Sal Pole | 51-60/16' | | 39 Nos. |
| 573 | D/126/KM/TSB/P/2012-13 (RD) | Sal Pole | 31-40/12' | 25 | |
| | | | 41-50/12' | 23 | 48 Nos. |
| 574 | D/127/KM/TSB/P/2012-13 (RD) | Sal Pole | 51-60/14' | | 48 Nos. |

| | | | | | |
|---------------------------|------------------------------|-------------------------|-----------------------------------------------------------------------------------------------------|---------------------------------------|-------------|
| 575 | D/128/KM/TSB/P/2012-13 (RD) | Sal Pole | 41-50/12' 41-50/16' | 20 32 | 52 Nos. |
| 576 | D/138/KM/TSB/T/2012-13 (RD) | Sal Timber | | 14 Nos. | 1.368Cu.m. |
| 577 | D/139/KM/TSB/T/2012-13 (RD) | Sal Timber | | 12 Nos. | 0.966 Cu.m. |
| 578 | D/140/KM/TSB/T/2012-13 (RD) | Sal Timber | | 14 Nos. | 1.039 Cu.m. |
| Depot:- Godapiasal | | CFC: Maheswarpur | | | |
| 579 | D/20/GPS/MSP/FW/2012-13 (MD) | Sal Fire Wood | | | 25.072 cum. |
| 580 | D/24/GPS/MSP/P/2012-13 (MD) | Sal Pole (Bend) | 51-60/6' 61 above/6'/8' | 2 4+2 | 08 Nos. |
| 581 | D/25/GPS/MSP/P/2012-13 (MD) | Sal Pole (Bend) | 31-40/12' 41-50/10' 41-50/12' 51-60/8' 51-60/10' 51-60/12' 51-60/14' 51-60/16' | 7 13 1 1 3 1 2 2 | 30 Nos. |
| 582 | D/28/GPS/MSP/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/8' | | 31 Nos. |
| 583 | D/29/GPS/MSP/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/12' | | 98 Nos. |
| 584 | D/30/GPS/MSP/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/14' | | 15 Nos. |
| 585 | D/43/GPS/MSP/P/2012-13 (MD) | Sal Pole (Bend) | 51-60/7' 51-60/8' | 1 16 | 17 Nos. |
| 586 | D/44/GPS/MSP/P/2012-13 (MD) | Sal Pole (Bend) | 31-40/6' 31-40/7' 31-40/8' | 1 1 6 | 08 Nos. |
| 587 | D/50/GPS/MSP/P/2012-13 (MD) | Sal Pole | 51-60/10' | | 14 Nos. |
| 588 | D/51/GPS/MSP/P/2012-13 (MD) | Sal Pole (Bend) | 51-60/12' | | 64 Nos. |
| 589 | D/65/GPS/MSP/P/2012-13 (MD) | Sal Pole (Bend) | 51-60/12' | | 80 Nos. |
| 590 | D/66/GPS/MSP/P/2012-13 (MD) | Sal Pole (Bend) | 51-60/16' | | 31 Nos. |
| Depot:- Pirakata | | CFC: Teshabandh | | | |
| 591 | D/2/PKT/TSB/P/2012-13 (RD) | Sal Pole | 41-50/12' 41-50/14' | 14 7 | 21 Nos. |
| 592 | D/3/PKT/TSB/P/2012-13 (RD) | Sal Pole | 41-50/20' 51-60/20' | 3 7 | 10 Nos. |
| 593 | D/9/PKT/TSB/P/2012-13 (RD) | Sal Pole (Bend) | 31-40/12' 31-40/16' 41-50/12' 41-50/16' | 18 18 6 34 | 76 Nos. |
| 594 | D/10/PKT/TSB/P/2012-13 (RD) | Sal Pole | 31-40/16' | | 44 Nos. |
| 595 | D/11/PKT/TSB/P/2012-13 (RD) | Sal Pole | 31-40/12' | | 57 Nos. |
| 595 | D/12/PKT/TSB/P/2012-13 (RD) | Sal Pole | 41-50/12' | | 59 Nos. |
| 596 | D/13/PKT/TSB/P/2012-13 (RD) | Sal Pole | 41-50/14' 41-50/16' | 52 48 | 100 Nos. |
| 597 | D/21/PKT/TSB/P/2012-13 (RD) | Sal Pole | 41-50/16' 51-60/16' 61 above16' 61 above20' | 13 5 8 2 | 28 Nos. |
| 598 | D/22/PKT/TSB/P/2012-13 (RD) | Sal Pole | 41-50/14' | | 85 Nos. |
| 599 | D/23/PKT/TSB/P/2012-13 (RD) | Sal Pole | 41-50/14' 51-60/14' 61 above12' | 7 1 4 | 12 Nos. |
| 600 | D/29/PKT/TSB/P/2012-13 (RD) | Sal Pole | 41-50/14' | | 19 Nos. |

| | | | | | |
|-----|------------------------------|------------|-----------|--------|-------------|
| 601 | D/30/PKT/TSB/P/2012-13 (RD) | Sal Pole | 31-40/14' | | 112 Nos. |
| 602 | D/31/PKT/TSB/P/2012-13 (RD) | Sal Pole | 41-50/12' | | 13 Nos. |
| 603 | D/32/PKT/TSB/P/2012-13 (RD) | Sal Pole | 41-50/12' | | 84 Nos. |
| 604 | D/37/PKT/TSB/P/2012-13 (RD) | Sal Pole | 41-50/14' | | 35 Nos. |
| 605 | D/38/PKT/TSB/P/2012-13 (RD) | Sal Pole | 41-50/12' | 15 | |
| | | | 51-60/12' | 11 | 26 Nos. |
| 606 | D/39/PKT/TSB/P/2012-13 (RD) | Sal Pole | 41-50/12' | 3 | |
| | | | 41-50/14' | 24 | 27 Nos. |
| 607 | D/40/PKT/TSB/P/2012-13 (RD) | Sal Pole | 41-50/12' | 7 | |
| | | | 51-60/14' | 26 | 33 Nos. |
| 608 | D/44/PKT/TSB/P/2012-13 (RD) | Sal Pole | 41-50/16' | | 25 Nos. |
| 609 | D/54/PKT/TSB/P/2012-13 (RD) | Sal Pole | 41-50/14' | | 92 Nos. |
| 610 | D/58/PKT/TSB/P/2012-13 (RD) | Sal Pole | 31-40/14' | | 41 Nos. |
| 611 | D/59/PKT/TSB/P/2012-13 (RD) | Sal Pole | 31-40/12' | | 56 Nos. |
| 612 | D/60/PKT/TSB/P/2012-13 (RD) | Sal Pole | 31-40/16' | | 38 Nos. |
| 613 | D/61/PKT/TSB/P/2012-13 (RD) | Sal Pole | 41-50/10' | 10 | |
| | | | 41-50/14' | 32 | |
| | | | 41-50/16' | 33 | 75 Nos. |
| 614 | D/63/PKT/TSB/P/2012-13 (RD) | Sal Pole | 31-40/14' | | 93 Nos. |
| 615 | D/64/PKT/TSB/P/2012-13 (RD) | Sal Pole | 41-50/16' | 13 | |
| | | | 31-40/16' | 8 | 21 Nos. |
| 616 | D/66/PKT/TSB/P/2012-13 (RD) | Sal Pole | 31-40/14' | | 35 Nos. |
| 617 | D/68/PKT/TSB/P/2012-13 (RD) | Sal Pole | 31-40/14' | 40 | |
| | | | 31-40/12' | 12 | 52 Nos. |
| 618 | D/69/PKT/TSB/P/2012-13 (RD) | Sal Pole | 51-60/14' | | 19 Nos. |
| 619 | D/70/PKT/TSB/P/2012-13 (RD) | Sal Pole | 41-50/14' | | 91 Nos. |
| 620 | D/71/PKT/TSB/P/2012-13 (RD) | Sal Pole | 31-40/16' | | 83 Nos. |
| 621 | D/76/PKT/TSB/T/2012-13 (RD) | Sal Timber | | 11 nos | 0.827 cum. |
| 622 | D/78/PKT/TSB/P/2012-13 (RD) | Sal Pole | 31-40/12' | 46 | |
| | | | 31-40/16' | 70 | 116 Nos. |
| 623 | D/83/PKT/TSB/P/2012-13 (RD) | Sal Pole | 31-40/12' | 6 | |
| | | | 41-50/12' | 14 | 20 Nos. |
| 624 | D/88/PKT/TSB/P/2012-13 (RD) | Sal Pole | 41-50/14' | | 46 Nos. |
| 625 | D/89/PKT/TSB/P/2012-13 (RD) | Sal Pole | 41-50/14' | 30 | |
| | | | 41-50/16' | 43 | 73 Nos. |
| 626 | D/90/PKT/TSB/P/2012-13 (RD) | Sal Pole | 41-50/16' | 91 | |
| | | | 51-60/16' | 10 | 101 Nos. |
| 627 | D/92/PKT/TSB/P/2012-13 (RD) | Sal Pole | 41-50/16' | | 43 Nos. |
| 628 | D/96/PKT/TSB/P/2012-13 (RD) | Sal Pole | 51-60/14' | | 75 Nos. |
| 629 | D/97/PKT/TSB/P/2012-13 (RD) | Sal Pole | 51-60/12' | 20 | |
| | | | 51-60/16' | 6 | 26 Nos. |
| 630 | D/101/PKT/TSB/P/2012-13 (RD) | Sal Pole | 41-50/14' | | 95 nos |
| 631 | D/102/PKT/TSB/P/2012-13 (RD) | Sal Pole | 41-50/12' | 19 | |
| | | | 41-50/16' | 44 | 63 Nos. |
| 632 | D/103/PKT/TSB/P/2012-13 (RD) | Sal Pole | 51-60/10' | | 10 Nos. |
| 633 | D/105/PKT/TSB/P/2012-13 (RD) | Sal Pole | 41-50/12' | 23 | |
| | | | 41-50/14' | 23 | |
| | | | 41-50/16' | 39 | 85 Nos. |
| 634 | D/111/PKT/TSB/P/2012-13 (RD) | Sal Pole | 41-50/12' | 17 | |
| | | | 41-50/14' | 50 | |
| | | | 41-50/16' | 15 | 82 Nos. |
| 635 | D/112/PKT/TSB/P/2012-13 (RD) | Sal Pole | 31-40/12' | 29 | |
| | | | 31-40/14' | 9 | |
| | | | 31-40/16' | 29 | 67 Nos. |
| 636 | D/113/PKT/TSB/T/2012-13 (RD) | Sal Timber | | 11 nos | 0.990 cu.m. |

| | | | | | |
|-----|-----------------------------|-----------------|-------------------------------------|----------------|----------|
| 665 | D/102/KM/ORM/P/2012-13 (RD) | Sal Pole | 41-50/12' 51-60/12' 51-60/14' | 20 19 17 | 56 Nos. |
| 666 | D/103/KM/ORM/P/2012-13 (RD) | Sal Pole | 41-50/16' 41-50/18' 51-60/20' | 21 23 9 | 53 Nos. |
| 667 | D/108/KM/ORM/P/2012-13 (RD) | Sal Pole | 31-40/12' 31-40/14' 31-40/16' | 2 7 17 | 26 Nos. |
| 668 | D/113/KM/ORM/P/2012-13 (RD) | Sal Pole | 21-30/12' 21-30/14' | 28 84 | 112 Nos. |
| 669 | D/114/KM/ORM/P/2012-13 (RD) | Sal Pole (Bend) | 41-50/14' | | 07 Nos. |
| 670 | D/118/KM/ORM/P/2012-13 (RD) | Sal Pole | 41-50/14' 51-60/14' | 3 25 | 28 Nos. |
| 671 | D/119/KM/ORM/P/2012-13 (RD) | Sal Pole | 51-60/14' 51-60/16' | 2 25 | 27 Nos. |
| 672 | D/120/KM/ORM/P/2012-13 (RD) | Sal Pole | 41-50/12' 51-60/14' | 9 6 | 15 Nos. |

Depot:- Keyamacha

CFC: Bishnupur-III

| | | | | | |
|-----|----------------------------|------------|---------------------------|----------|-------------|
| 673 | D/15/KM/BSP/T/2012-13 (MD) | Sal Timber | | 64 nos | 5.137 cu.m. |
| 674 | D/16/KM/BSP/T/2012-13 (MD) | Sal Timber | | 31 nos | 2.295 cu.m. |
| 675 | D/17/KM/BSP/T/2012-13 (MD) | Sal Timber | | 41 nos | 2.800 cu.m. |
| 676 | D/18/KM/BSP/T/2012-13 (MD) | Sal Timber | | 29 nos | 2.389 cu.m. |
| 677 | D/19/KM/BSP/T/2012-13 (MD) | Sal Timber | | 41 nos | 3.142 cu.m. |
| 678 | D/20/KM/BSP/P/2012-13 (MD) | Sal Pole | 51-60/12' 61-70/12' | 16 10 | 26 Nos. |
| 679 | D/21/KM/BSP/P/2012-13 (MD) | Sal Pole | 51-60/12' 51-60/16' | 18 17 | 35 Nos. |
| 680 | D/23/KM/BSP/P/2012-13 (MD) | Sal Pole | 41-50/16' | | 44 Nos. |
| 681 | D/24/KM/BSP/P/2012-13 (MD) | Sal Pole | 41-50/12' 41-50/14' | 25 7 | 32 Nos. |
| 682 | D/25/KM/BSP/P/2012-13 (MD) | Sal Pole | 61-70/16' 70-above/12' | 33 13 | 46 Nos. |
| 683 | D/26/KM/BSP/P/2012-13 (MD) | Sal Pole | 51-60/16' | | 26 Nos. |
| 684 | D/28/KM/BSP/P/2012-13 (MD) | Sal Pole | 31-40/12' 31-40/16' | 29 32 | 61 Nos. |
| 685 | D/29/KM/BSP/P/2012-13 (MD) | Sal Pole | 41-50/10' 51-60/10' | 12 11 | 23 Nos. |
| 686 | D/32/KM/BSP/P/2012-13 (MD) | Sal Pole | 41-50/16' | | 52 Nos. |

Depot:- Godapiasal, CFC:- Patharnala

| | | | | | |
|-----|-----------------------------|-----------------|-------------------------------------|--------------|-------------|
| 687 | D/11/GPS/PNA/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/14' 41-50/16' | 1 11 | 12 Nos. |
| 688 | D/30/GPS/PNA/P/2012-13 (MD) | Sal Pole (Bend) | 51-60/12' | | 11 Nos. |
| 689 | D/31/GPS/PNA/P/2012-13 (MD) | Sal Pole | 51-60/14' 51-60/16' 51-60/18' | 3 29 2 | 34 Nos. |
| 690 | D/34/GPS/PNA/T/2012-13 (MD) | Sal Timber | 8', 9', 10' | 25 nos | 2.207 cu.m. |
| 691 | D/39/GPS/PNA/T/2012-13 (MD) | Sal Timber | 12' | 08 nos | 1.120 cu.m. |
| 692 | D/40/GPS/PNA/P/2012-13 (MD) | Sal Pole (Bend) | 51-60/8' | | 16 Nos. |
| 693 | D/41/GPS/PNA/P/2012-13 (MD) | Sal Pole | 51-60/8' | | 08 Nos. |
| 694 | D/42/GPS/PNA/T/2012-13 (MD) | Sal Timber | 8', 9', 10' | 09 nos | 0.858 cu.m. |

Depot:- Godapiasal, CFC:- Hat-tora

| | | | | | |
|-----|------------------------------|--------------------|------------------------|---------|--------------|
| 695 | D/10/GPS/HTA/FW/2012-13 (MD) | Sal Firewood | | | 22.556 cu.m. |
| 696 | D/56/GPS/HTA/P/2012-13 (MD) | Sal Pole (Bend) | 31-40/12' 31-40/14' | 3 21 | 24 Nos |

| | | | | | |
|-----------------------------------------------|------------------------------|-----------------|------------------|------|--------------|
| 697 | D/57/GPS/HTA/P/2012-13 (MD) | Sal Pole | 41-50/14' | 3 | |
| | | | 51-60/12' | 1 | 04 Nos |
| 698 | D/70/GPS/HTA/P/2012-13 (MD) | Sal Pole (Bend) | 41-50/12' | | 14 Nos |
| Depot:- Pirakata, CFC:- Santaldhansola | | | | | |
| 699 | D/25/PKT/SDS/P/2012-13 (MD) | Sal Pole | 51-60/14' | | 23 Nos |
| 700 | D/33/PKT/SDS/P/2012-13 (MD) | Sal Pole | 51-60/8' | 7 | |
| | | | 61-above/8' | 1 | 08 Nos. |
| 701 | D/34/PKT/SDS/P/2012-13 (MD) | Sal Pole | 61-above/8' | 4 | |
| | | | 61-above/10' | 4 | |
| | | | 61-above/12' | 10 | 18 Nos. |
| 702 | D/36/PKT/SDS/P/2012-13 (MD) | Sal Pole | 41-50/14' | | 24 Nos |
| 703 | D/63/PKT/SDS/FW/2012-13 (MD) | Sal Firewood | | | 11.280 Cu.m. |
| 704 | D/64/PKT/SDS/FW/2012-13 (MD) | Sal Firewood | | | 21.505 Cu.m. |
| 705 | D/66/PKT/SDS/FW/2012-13 (MD) | Sal Firewood | | | 24.240 Cu.m. |
| 706 | D/67/PKT/SDS/FW/2012-13 (MD) | Sal Firewood | | | 2.775 Cu.m. |
| 707 | D73/PKT/SDS/P/2012-13 (MD) | Sal Pole | 31-40/12' | | 13 Nos |
| 708 | D83/PKT/SDS/P/2012-13 (MD) | Sal Pole | 41-50/16' | | 114 Nos |
| Depot:- Pirakata, CFC:- Pathri | | | | | |
| 709 | D/11/PKT/PTR/P/2012-13 (MD) | Sal Pole | 41-50/16' | | 77 nos |
| 710 | D/47/PKT/PTR/P/2012-13 (MD) | Sal Pole | 51-60/16' | | 109 nos |
| 711 | D/49/PKT/PTR/P/2012-13 (MD) | Sal Pole | 41-50/14' | | 72 nos |
| 712 | D/79/PKT/PTR/P/2012-13 (MD) | Sal Pole | 51-60/14' | | 47 Nos |
| Depot:- Baromesia, CFC:- Gangarampur | | | | | |
| 713 | D/92/BM/GRP/P/2012-13 (RD) | Sal Pole | 41-50/16' | 18 | |
| | | | 51-60/20' | 4 | 22 Nos. |
| 714 | D/93/BM/GRP/P/2012-13 (RD) | Sal Pole | 51-60/16' | | 42 Nos. |
| 715 | D/95/BM/GRP/P/2012-13 (RD) | Sal Pole | 51-60/16' | | 85 Nos. |
| 716 | D/101/BM/GRP/P/2012-13 (RD) | Sal Pole | 51-60/16' | 41 | |
| | | | 70-above/16' | 1 | 42 Nos. |
| 717 | D/107/BM/GRP/P/2012-13 (RD) | Sal Pole | 31-40/16' | | 44 Nos. |
| Depot:- Baromesia, CFC:- Hatia | | | | | |
| 718 | D/72/BM/HTA/P/2012-13 (RD) | Sal Pole | 41-50/12' | | 30 Nos. |
| 719 | D/73/BM/HTA/P/2012-13 (RD) | Sal Pole | 31-40/12' | | 16 Nos. |
| 720 | D/81/BM/HTA/P/2012-13 (RD) | Sal Pole | 41-50/12' | 12 | |
| | | | 51-60/16' | 17 | |
| | | | 61-70/12' | 2 | |
| | | | 61-above/16' | 9 | 40 Nos. |
| 721 | D/88/BM/HTA/P/2012-13 (RD) | Sal Pole | 51-60/16' | 9 | |
| | | | 61-70/10' | 5 | |
| | | | 61-70/12' | 10 | 24 Nos. |
| Depot:- Baromesia, CFC:- Cachuria | | | | | |
| 722 | D/30/BM/CCR/P/2012-13 (RD) | Sal Pole | 31-40/12' | 11 | |
| | | | 31-40/20' | 3 | |
| | | | 51-60/12' | 5 | 19 nos |
| Depot:- Organja, CFC:- Belamaharajpur | | | | | |
| 723 | D/49/ORJ/BMP/P/2012-13 (RD) | Sal Pole (Bend) | 51-60/12' | 2 | |
| | | | 41-50/16' | 3 | |
| | | | 51-60/16' | 6 | |
| | | | 61-70/16' | 4 | 15 Nos. |
| Depot:- Pirakata, CFC:- Teshabandh | | | | | |
| 724 | D/173/PKT/TSB/P/2012-13 (RD) | Sal Pole | 61-above/14' | 4 | |
| | | | 61-above/16' | 1 | 05 Nos. |
| 725 | D/174/PKT/TSB/P/2012-13 (RD) | Sal Pole | 51-60/14' | 6 | |
| | | | 51-60/16' | 2 | 08 Nos. |
| 726 | D/175/PKT/TSB/P/2012-13 (RD) | Sal Pole | 61-above/16' | 1 | |
| | | | 61-above/18'/20' | 4+35 | 40 nos |

| | | | | | |
|-----|------------------------------|------------|----------------------------------------------|----------------|-------------|
| 727 | D/176/PKT/TSB/P/2012-13 (RD) | Sal Pole | 61-above/14' 61-above/16' | 4 25 | 29 Nos. |
| 728 | D/177/PKT/TSB/P/2012-13 (RD) | Sal Pole | 51-60/14' 61-above/14' 61-above/16' | 3 15 3 | 21 nos |
| 729 | D/178/PKT/TSB/P/2012-13 (RD) | Sal Pole | 41-50/10' 41-50/12' | 2 17 | 19 Nos. |
| 730 | D/179/PKT/TSB/P/2012-13 (RD) | Sal Pole | 51-60/14' 51-60/16' | 7 8 | 15 Nos. |
| 731 | D/180/PKT/TSB/P/2012-13 (RD) | Sal Pole | 61-above/16' 61-above/18' 61-above/20' | 1 3 16 | 20 Nos |
| 732 | D/181/PKT/TSB/T/2012-13 (RD) | Sal Timber | | 9 nos. | 0.707 cu.m. |
| 733 | D/182/PKT/TSB/P/2012-13 (RD) | Sal Pole | 61-above/12' 61-above/14' 61-above/16' | 1 10 1 | 12 nos |
| 734 | D/183/PKT/TSB/T/2012-13 (RD) | Sal Timber | | 12 nos. | 0.775 cu.m. |
| 735 | D/184/PKT/TSB/P/2012-13 (RD) | Sal Pole | 61-above/20' | | 22 Nos. |
| 736 | D/185/PKT/TSB/P/2012-13 (RD) | Sal Pole | 51-60/14' 61-above/14' | 20 16 | 36 Nos. |
| 737 | D/186/PKT/TSB/P/2012-13 (RD) | Sal Pole | 61-above/20' | | 16 Nos. |
| 738 | D/187/PKT/TSB/P/2012-13 (RD) | Sal Pole | 61-above/10' 61-above/12' 61-above/14' | 6 2 3 | 11 Nos |
| 739 | D/188/PKT/TSB/P/2012-13 (RD) | Sal Pole | 61-above/14' | | 22 Nos. |
| 740 | D/189/PKT/TSB/P/2012-13 (RD) | Sal Pole | 51-60/16' | | 23 Nos. |
| 741 | D/190/PKT/TSB/P/2012-13 (RD) | Sal Pole | 51-60/14' | | 40 Nos. |
| 742 | D/191/PKT/TSB/P/2012-13 (RD) | Sal Pole | 61-above/14' 61-above/16' | 2 15 | 17 Nos. |
| 743 | D/192/PKT/TSB/P/2012-13 (RD) | Sal Pole | 41-50/16' | | 34 Nos. |
| 744 | D/193/PKT/TSB/P/2012-13 (RD) | Sal Pole | 41-50/14' | | 40 Nos. |
| 745 | D/194/PKT/TSB/P/2012-13 (RD) | Sal Pole | 51-60/12' | | 12 Nos. |
| 746 | D/195/PKT/TSB/P/2012-13 (RD) | Sal Pole | 51-60/10' 51-60/12' | 4 21 | 25 Nos. |
| 747 | D/196/PKT/TSB/P/2012-13 (RD) | Sal Pole | 61-above/10' 61-above/12' | 5 11 | 16 Nos. |
| 748 | D/197/PKT/TSB/T/2012-13 (RD) | Sal Timber | | 37 nos. | 2.757 cu.m. |
| 749 | D/198/PKT/TSB/P/2012-13 (RD) | Sal Pole | 61-above/20' 61-above/18' 61-above/16' | 11 21 2 | 34 Nos |
| 750 | D/199/PKT/TSB/P/2012-13 (RD) | Sal Pole | 61-above/14' | | 07 Nos. |
| 751 | D/200/PKT/TSB/T/2012-13 (RD) | Sal Timber | | 6 nos. | 0.381 cu.m. |
| 752 | D/201/PKT/TSB/T/2012-13 (RD) | Sal Timber | | 28 nos. | 1.591 cu.m. |
| 753 | D/202/PKT/TSB/P/2012-13 (RD) | Sal Pole | 51-60/14' | | 08 Nos. |
| 754 | D/203/PKT/TSB/P/2012-13 (RD) | Sal Pole | 41-50/12' | | 24 Nos. |
| 755 | D/204/PKT/TSB/P/2012-13 (RD) | Sal Pole | 51-60/12' 51-60/14' | 18 6 | 24 Nos. |
| 756 | D/205/PKT/TSB/P/2012-13 (RD) | Sal Pole | 31-40/12' 31-40/14' 31-40/18' | 34 26 18 | 108 nos |
| 757 | D/206/PKT/TSB/P/2012-13 (RD) | Sal Pole | 41-50/12' | | 27 Nos. |
| 758 | D/207/PKT/TSB/P/2012-13 (RD) | Sal Pole | 61-above/14' 61-above/16' | 18 3 | 21 Nos. |
| 759 | D/208/PKT/TSB/P/2012-13 (RD) | Sal Pole | 61-above/12' 51-60/12' | 9 15 | 24 Nos. |
| 760 | D/209/PKT/TSB/T/2012-13 (RD) | Sal Timber | | 20 nos. | 1.544 cu.m. |

| | | | | | |
|-----|-------------------------------|------------------|-------------------------------------------------------------------------------|-----------------------------|--------------|
| 761 | D/210/PKT/TSB/P/2012-13 (RD) | Sal Pole | 51-60/14' 51-60/16' | 22 10 | 32 Nos. |
| 762 | D/211/PKT/TSB/P/2012-13 (RD) | Sal Pole | 41-50/14' 41-50/16' | 25 12 | 37 Nos. |
| 763 | D/212/PKT/TSB/P/2012-13 (RD) | Sal Pole | 61-above/20' 51-60/16' 51-60/18' 51-60/20' | 5 16 6 4 | 31 Nos. |
| 764 | D/213/PKT/TSB/P/2012-13 (RD) | Sal Pole | 51-60/10' 51-60/14' 51-60/16' | 4 2 30 | 36 nos |
| 765 | D/214/PKT/TSB/P/2012-13 (RD) | Sal Pole | 41-50/12' 41-50/14' | 45 27 | 72 Nos. |
| 766 | D/215/PKT/TSB/P/2012-13 (RD) | Sal Pole | 61-above/12' 61-above/14' 61-above/16' | 5 8 10 | 23 Nos |
| 767 | D/216/PKT/TSB/T/2012-13 (RD) | Sal Timber | | 7 nos. | 0.412 cu.m. |
| 768 | D/217/PKT/TSB/P/2012-13 (RD) | Sal Pole | 51-60/12' 51-60/14' 61-above/12' 61-above/14' | 8 27 8 8 | 51 Nos. |
| 769 | D/218/PKT/TSB/ST/2012-13 (RD) | Sal Short Timber | | | 9.5760 cu.m. |
| 770 | D/219/PKT/TSB/ST/2012-13 (RD) | Sal Short Timber | | | 13.094 cu.m. |
| 771 | D/220/PKT/TSB/ST/2012-13 (RD) | Sal Short Timber | | | 14.400 cu.m. |
| 772 | D/221/PKT/TSB/P/2012-13 (RD) | Sal Pole | 61-above/12' 61-above/18' 61-above/20' | 5 10 5 | 20 Nos |
| 773 | D/222/PKT/TSB/T/2012-13 (RD) | Sal Timber | | 10 nos. | 0.820 cu.m. |
| 774 | D/223/PKT/TSB/P/2012-13 (RD) | Sal Pole | 61-above/12' 61-above/14' | 2 15 | 17 Nos. |
| 775 | D/224/PKT/TSB/P/2012-13 (RD) | Sal Pole | 31-40/12' | | 65 Nos. |
| 776 | D/225/PKT/TSB/P/2012-13 (RD) | Sal Pole | 61-above/16' 61-above/18' 61-above/20' | 6 23 23 | 52 Nos |
| 777 | D/226/PKT/TSB/P/2012-13 (RD) | Sal Pole | 61-above/16' 61-above/18' | 6 21 | 27 Nos. |
| 778 | D/227/PKT/TSB/T/2012-13 (RD) | Sal Timber | | 37 nos. | 2.858 cu.m. |
| 779 | D/228/PKT/TSB/P/2012-13 (RD) | Sal Pole | 31-40/14' 31-40/16' | 55 19 | 74 Nos. |
| 780 | D/229/PKT/TSB/P/2012-13 (RD) | Sal Pole | 61-above/12' 51-60/16' 51-60/18' 51-60/20' 51-60/16' 41-50/16' | 3 8 4 11 2 2 | 30 Nos. |
| 781 | D/230/PKT/TSB/P/2012-13 (RD) | Sal Pole | 51-60/12' 61-above/10' | 6 7 | 13 Nos. |
| 782 | D/231/PKT/TSB/P/2012-13 (RD) | Sal Pole | 61-above/16' 61-above/20' 61-above/24' | 8 12 1 | 21 Nos |
| 783 | D/232/PKT/TSB/T/2012-13 (RD) | Sal Timber | | 29 nos. | 2.466 cu.m. |
| 784 | D/233/PKT/TSB/P/2012-13 (RD) | Sal Pole | 61-above/18' 61-above/20' | 6 21 | 27 Nos. |
| 785 | D/234/PKT/TSB/P/2012-13 (RD) | Sal Pole | 61-above/16' | | 19 Nos. |

| | | | | | |
|-----|------------------------------|------------|-------------------------------------------------------------------------------------------|------------------------------|-------------|
| 786 | D/235/PKT/TSB/P/2012-13 (RD) | Sal Pole | 51-60/10' 51-60/14' 41-50/14' 41-50/16' | 2 21 28 11 | 62 Nos. |
| 787 | D/236/PKT/TSB/P/2012-13 (RD) | Sal Pole | 31-40/12' | | 40 Nos. |
| 788 | D/237/PKT/TSB/P/2012-13 (RD) | Sal Pole | 61-above/14' 61-above/16' 51-60/14' 51-60/16' | 8 23 20 14 | 65 Nos. |
| 789 | D/238/PKT/TSB/P/2012-13 (RD) | Sal Pole | 61-above/12' 61-above/14' 51-60/16' 51-60/20' | 4 7 7 14 | 32 Nos. |
| 790 | D/239/PKT/TSB/T/2012-13 (RD) | Sal Timber | | 45 nos. | 2.275 cu.m. |
| 791 | D/240/PKT/TSB/P/2012-13 (RD) | Sal Pole | 41-50/16' | | 45 Nos. |
| 792 | D/241/PKT/TSB/T/2012-13 (RD) | Sal Timber | | 22 nos. | 1.638 cu.m. |
| 793 | D/242/PKT/TSB/T/2012-13 (RD) | Sal Timber | | 26 nos. | 2.220 cu.m. |
| 794 | D/243/PKT/TSB/P/2012-13 (RD) | Sal Pole | 61-above/16' 61-above/14' | 19 28 | 47 Nos. |
| 795 | D/244/PKT/TSB/P/2012-13 (RD) | Sal Pole | 51-60/16' | | 27 Nos. |
| 796 | D/245/PKT/TSB/P/2012-13 (RD) | Sal Pole | 61-above/10' 61-above/12' | 5 13 | 18 Nos. |
| 797 | D/246/PKT/TSB/T/2012-13 (RD) | Sal Timber | 10' 12' | 9 nos. | 0.866 cu.m. |
| 798 | D/247/PKT/TSB/T/2012-13 (RD) | Sal Timber | | 9 nos. | 0.625 cu.m. |
| 799 | D/248/PKT/TSB/P/2012-13 (RD) | Sal Pole | 51-60/12' 51-60/14' 51-60/16' | 14 38 24 | 76 Nos. |
| 800 | D/249/PKT/TSB/P/2012-13 (RD) | Sal Pole | 61-above/10' 61-above/12' 61-above/16' 61-above/18' 61-above/20' 51-60/12' | 4 2 2 36 21 3 | 68 Nos. |
| 801 | D/250/PKT/TSB/T/2012-13 (RD) | Sal Timber | | 13 nos. | 1.056 cu.m. |
| 802 | D/251/PKT/TSB/P/2012-13 (RD) | Sal Pole | 41-50/12' 41-50/10' | 3 22 | 25 Nos. |
| 803 | D/252/PKT/TSB/P/2012-13 (RD) | Sal Pole | 61-above/16' 61-above/14' 61-above/18' 61-above/20' | 11 11 9 7 | 38 Nos. |
| 804 | D/253/PKT/TSB/P/2012-13 (RD) | Sal Pole | 51-60/14' 51-60/16' 41-50/14' | 20 10 22 | 52 Nos. |
| 805 | D/254/PKT/TSB/T/2012-13 (RD) | Sal Timber | | 7 nos. | 0.485 cu.m. |
| 806 | D/255/PKT/TSB/T/2012-13 (RD) | Sal Timber | | 7 nos. | 0.545 cu.m. |
| 807 | D/256/PKT/TSB/P/2012-13 (RD) | Sal Pole | 61-above/10' | | 09 Nos. |
| 808 | D/257/PKT/TSB/P/2012-13 (RD) | Sal Pole | 51-60/12' 51-60/14' 51-60/16' 51-60/18' | 3 10 4 4 | 21 Nos. |
| 809 | D/258/PKT/TSB/P/2012-13 (RD) | Sal Pole | 61-above/14' 61-above/18' | 7 11 | 18 Nos. |
| 810 | D/259/PKT/TSB/T/2012-13 (RD) | Sal Timber | | 21 nos. | 1.479 cu.m. |
| 811 | D/260/PKT/TSB/P/2012-13 (RD) | Sal Pole | 51-60/12' 51-60/14' 51-60/16' | 5 21 8 | 34 Nos. |

| | | | | | |
|-----|-------------------------------|------------------|------------------------------------------------------------------|-------------------------|--------------|
| 812 | D/261/PKT/TSB/P/2012-13 (RD) | Sal Pole | 61-above/18' 61-above/20' 51-60/18' | 4 13 41 | 58 Nos. |
| 813 | D/262/PKT/TSB/P/2012-13 (RD) | Sal Pole | 51-60/12' 61-above/12' | 13 9 | 22 Nos. |
| 814 | D/263/PKT/TSB/P/2012-13 (RD) | Sal Pole | 51-60/10' 51-60/12' 51-60/14' | 3 9 46 | 58 Nos. |
| 815 | D/264/PKT/TSB/T/2012-13 (RD) | Sal Timber | | 19 nos. | 1.429 cu.m. |
| 816 | D/265/PKT/TSB/P/2012-13 (RD) | Sal Pole | 41-50/12' | | 36 Nos. |
| 817 | D/266/PKT/TSB/P/2012-13 (RD) | Sal Pole | 61-above/14' 61-above/16' | 25 4 | 29 Nos. |
| 819 | D/267/PKT/TSB/P/2012-13 (RD) | Sal Pole | 31-40/12' 31-40/14' | 37 18 | 55 Nos. |
| 820 | D/268/PKT/TSB/P/2012-13 (RD) | Sal Pole | 51-60/14' 41-50/16' 31-40/12' | 11 5 13 | 29 Nos. |
| 821 | D/269/PKT/TSB/P/2012-13 (RD) | Sal Pole | 51-60/14' 51-60/16' 51-60/18' 51-60/20' | 12 12 7 9 | 40 Nos. |
| 822 | D/270/PKT/TSB/T/2012-13 (RD) | Sal Timber | | 8 nos. | 0.593 cu.m. |
| 823 | D/271/PKT/TSB/P/2012-13 (RD) | Sal Pole | 41-50/12' 41-50/16' | 31 33 | 64 Nos. |
| 824 | D/272/PKT/TSB/T/2012-13 (RD) | Sal Timber | | 25 nos. | 1.703 cu.m. |
| 825 | D/273/PKT/TSB/P/2012-13 (RD) | Sal Pole | 61-above/10' 51-60/12' 51-60/14' | 8 18 30 | 56 Nos. |
| 826 | D/274/PKT/TSB/P/2012-13 (RD) | Sal Pole | 51-60/14' 51-60/16' 31-40/14' | 38 14 14 | 66 Nos. |
| 827 | D/275/PKT/TSB/P/2012-13 (RD) | Sal Pole | 41-50/12' 41-50/14' | 32 60 | 92 Nos. |
| 829 | D/276/PKT/TSB/P/2012-13 (RD) | Sal Pole | 41-50/12' | | 70 Nos. |
| 830 | D/277/PKT/TSB/P/2012-13 (RD) | Sal Pole | 41-50/10' 51-60/12' | 10 1 | 11 Nos. |
| 831 | D/278/PKT/TSB/P/2012-13 (RD) | Sal Pole | 51-60/14' 51-60/16' | 8 15 | 23 Nos. |
| 832 | D/279/PKT/TSB/T/2012-13 (RD) | Sal Timber | | 29 nos. | 2.040 cu.m. |
| 833 | D/280/PKT/TSB/P/2012-13 (RD) | Sal Pole | 61-above/20' 51-60/16' 51-60/18' 51-60/20' 41-50/10' | 32 5 6 6 10 | 59 Nos. |
| 834 | D/281/PKT/TSB/P/2012-13 (RD) | Sal Pole | 61-above/14' 51-60/7' 31-40/12' 41-50/10' | 11 4 9 11 | 35 Nos. |
| 835 | D/282/PKT/TSB/ST/2012-13 (RD) | Sal Short Timber | | | 17.346 cu.m. |
| 836 | D/283/PKT/TSB/ST/2012-13 (RD) | Sal Short Timber | | | 12.600 cu.m. |
| 837 | D/284/PKT/TSB/P/2012-13 (RD) | Sal Pole | 61-above/14' 61-above/16' 61-above/18' 61-above/20' | 2 17 25 3 | 47 Nos. |
| 838 | D/285/PKT/TSB/T/2012-13 (RD) | Sal Timber | | 11 nos. | 0.848 cu.m. |

| | | | | | |
|-------------------------------------------------------------|------------------------------|--------------|--------------------------------------------------------|-------------------|-------------|
| 839 | D/287/PKT/TSB/P/2012-13 (RD) | Sal Pole | 61-above/14' 61-above/16' 61-above/20' | 7 5 14 | 26 Nos. |
| 840 | D/288/PKT/TSB/P/2012-13 (RD) | Sal Pole | 61-above/8' 61-above/10' 61-above/14' | 2 3 8 | 13 Nos. |
| 841 | D/289/PKT/TSB/T/2012-13 (RD) | Sal Timber | | 11 nos. | 0.861 cu.m. |
| 842 | D/290/PKT/TSB/T/2012-13 (RD) | Sal Timber | | 4 nos. | 0.402 cu.m. |
| 843 | D/291/PKT/TSB/P/2012-13 (RD) | Sal Pole | 61-above/18' 51-60/18' | 5 6 | 11 Nos. |
| 844 | D/292/PKT/TSB/T/2012-13 (RD) | Sal Timber | | 5 nos. | 0.273 cu.m. |
| 845 | D/293/PKT/TSB/P/2012-13 (RD) | Sal Pole | 31-40/10' 31-40/12' | 10 21 | 31 Nos. |
| 846 | D/294/PKT/TSB/P/2012-13 (RD) | Sal Pole | 41-50/12' | | 22 Nos. |
| 847 | D/295/PKT/TSB/P/2012-13 (RD) | Sal Pole | 31-40/14' | | 29 Nos. |
| 848 | D/296/PKT/TSB/P/2012-13 (RD) | Sal Pole | 31-40/14' 41-50/16' 51-60/16' | 29 6 4 | 39 Nos. |
| 849 | D/297/PKT/TSB/P/2012-13 (RD) | Sal Pole | 31-40/10' 31-40/12' 31-40/14' | 16 12 19 | 47 Nos. |
| Depot : Joinery & Carpentry Unit, Durgapur Range | | | | | |
| 850 | D/16/JCU/DGP/2012-13 | Aks Timber | | 08 Nos | 2.336 cum |
| 851 | D/18/JCU/DGP/2012-13 | Sal Block | | 46 Nos | 3.1983 cum. |
| 852 | D/19/JCU/DGP/2012-13 | Sal Block | | 45 Nos | 3.1248 cum. |
| 853 | D/20/JCU/DGP/2012-13 | Sal Block | | 40 Nos | 2.9701 cum. |
| 854 | D/21/JCU/DGP/2012-13 | Sal Block | | 96 Nos | 3.1549 cum. |
| 855 | D/22/JCU/DGP/2012-13 | Sal Block | | 75 Nos | 3.3180 cum. |
| 856 | D/23/JCU/DGP/2012-13 | Sal Block | | 29 Nos | 2.4528 cum. |
| 857 | D/24/JCU/DGP/2012-13 | Sal Block | | 32 Nos | 2.5431 cum. |
| 858 | D/25/JCU/DGP/2012-13 | Sal Block | | 20 Nos | 2.6425 cum. |
| 859 | D/26/JCU/DGP/2012-13 | Sal Block | | 60 Nos | 1.6534 cum. |
| 860 | D/27/JCU/DGP/2012-13 | Sal Firewood | | | 8.624 cum. |
| 861 | D/28/JCU/DGP/2012-13 | Aks Firewood | | | 7.00 cum |
| Depot : Keyamacha : F.P.C.- Mohonpur | | | | | |
| 862 | D/212/KM/MHP/P/2012-13 (RD) | Sal Pole | 41-50/18' 51-60/6' 51-60/16' | 13 3 7 | 23 Nos. |
| 863 | D/213/KM/MHP/P/2012-13 (RD) | Sal Pole | 41-50/14' 41-50/16' 70-above/12' 70-above/20' | 5 12 3 2 | 22 Nos. |
| Depot : Keyamacha : F.P.C.- Teshabandh | | | | | |
| 864 | D/136/KM/TSB/T/2012-13 (RD) | Sal Timber | | 64 | 4.235 cu.m |
| Depot : Keyamacha : F.P.C.- Mahnpur | | | | | |
| 865 | D/234/KM/MHP/12-13 | Sal Pole | 61-70/18' 70-ab/18' | 6 10 | 16 |
| | With bark | | | | 77 |
| 866 | D/15/BM/GDR/P/12-13(RD) | Salpole | 31-40 to71-ab | | |
| 867 | D/235/KM/MHP/12-13 | Sal Timber | | 10 | 0.780 cum |
| 868 | D/236/KM/MHP/12-13 | Sal Pole | 51-60/16' 61-70/10' 61-70/12' 61-70/14' | 13 1 1 2 | 17 |
| | With bark | | | | |
| 869 | D/237/KM/MHP/12-13 | Sal Pole | 61-70/16' 70-ab/16' | 15 5 | 20 |
| | With bark | | | | |

| | | | | | |
|-----|--------------------|--------------------------|-----------|---------|------------|
| 870 | D/238/KM/MHP/12-13 | Sal Pole | 61-70/18' | 18 | |
| | With bark | | 61-70/20' | 5 | |
| | | | 70-ab/20' | 5 | 28 |
| 871 | D/239/KM/MHP/12-13 | Sal Pole | 61-70/18' | 17 | |
| | With bark | | 61-70/20' | 8 | 25 |
| 872 | D/240/KM/MHP/12-13 | Sal Pole | 61-70/16' | | 39 |
| 873 | D/241/KM/MHP/12-13 | Sal Pole | 61-70/18' | | 21 |
| 874 | D/242/KM/MHP/12-13 | Sal Pole | 61-70/18' | 25 | |
| | With bark | | 61-70/20' | 2 | 27 |
| 875 | D/243/KM/MHP/12-13 | Sal Pole | 51-60/16' | | 11 |
| 876 | D/244/KM/MHP/12-13 | Sal Pole | 61-70/16' | 66 | |
| | | | 70-ab/16' | 10 | 76 |
| 877 | D/245/KM/MHP/12-13 | Sal Pole | 61-70/18' | 26 | |
| | | | 70-ab/18' | 6 | 32 Nos. |
| 878 | D/246/KM/MHP/12-13 | Sal Pole | 41-50/14' | 15 | |
| | | | 41-50/10' | 6 | 21 Nos. |
| 879 | D/247/KM/MHP/12-13 | Sal Pole | 61-70/14' | | 9 Nos. |
| | | Sal Timber | | 19 | 1.313 cum |
| 880 | D/248/KM/MHP/12-13 | Sal Pole | 41-50/16' | | 87 Nos. |
| 881 | D/249/KM/MHP/12-13 | Sal Pole | 41-50/16' | 7 | |
| | | | 51-60/12' | 33 | 40 Nos. |
| 882 | D/250/KM/MHP/12-13 | Sal Pole | 61-70/16' | 20 | |
| | | | 61-70/18' | 7 | 27 Nos. |
| 883 | D/251/KM/MHP/12-13 | Sal Pole | 41-50/8' | | 15 Nos. |
| 884 | D/252/KM/MHP/12-13 | Sal Pole | 51-60/16' | 2 | |
| | | | 61-70/18' | 5 | |
| | | | 70-ab/16' | 5 | 12 Nos. |
| 885 | D/253/KM/MHP/12-13 | Sal Pole | 51-60/16' | | 29 Nos. |
| 886 | D/254/KM/MHP/12-13 | Sal Timber | | 10 nos. | 0.846 cum |
| 887 | D/255/KM/MHP/12-13 | Sal Timber | | 33 nos. | 2.196 cum |
| 888 | D/256/KM/MHP/12-13 | Sal Timber | | 28 nos. | 1.922 cum |
| 889 | D/257/KM/MHP/12-13 | Sal Timber | | 12 nos. | 0.723 cum |
| 890 | D/258/KM/MHP/12-13 | Sal Timber | | 13 nos. | 1.247 cum |
| 891 | D/259/KM/MHP/12-13 | Sal Timber | | 20 nos. | 1.440 cum |
| 892 | D/260/KM/MHP/12-13 | Sal Timber (Bend) | | 16 nos. | 0.857 cum |
| 893 | D/261/KM/MHP/12-13 | Sal Short Timber | | | 16.131 cum |
| 894 | D/262/KM/MHP/12-13 | Sal Short Timber | | | 22.932 cum |
| 895 | D/263/KM/MHP/12-13 | Sal Short Timber | | | 16.788 cum |
| 896 | D/264/KM/MHP/12-13 | Sal Short Timber | | | 17.394 cum |
| 897 | D/265/KM/MHP/12-13 | Sal Short Timber | | | 19.170 cum |
| 898 | D/266/KM/MHP/12-13 | Sal firewood | H.G | | 14.419 cum |
| 899 | D/267/KM/MHP/12-13 | Sal Short Timber | H.G | | 9.360 cum |
| 900 | D/268/KM/MHP/12-13 | Sal Short Timber | | 40 | 2.584 cum |
| 901 | D/269/KM/MHP/12-13 | Sal Short Timber | | 25 | 2.006 cum |
| 902 | D/270/KM/MHP/12-13 | Sal Short Timber | | 35 | 2.481 cum |
| 903 | D/271/KM/MHP/12-13 | Sal Short Timber | | 30 | 2.370 cum |
| 904 | D/272/KM/MHP/12-13 | Sal Short Timber | | 33 | 2.428 cum |
| 905 | D/273/KM/MHP/12-13 | Sal Short Timber | | 31 | 1.757 cum |
| 906 | D/274/KM/MHP/12-13 | Sal Short Timber | | 65 | 3.569 cum |

1) The Sabhadhipati, Midnapore Zilla Parishad, Paschim Midnapore.

2) The Managing Director, WBFDC Ltd, Kolkata.

3) The General Manager, (HQ) WBFDC Ltd, Kolkata.

4) The Divisional Forest Officer /Divisional Manager _____

5) M/s./ Shri _____

- 1) The Sabhadhipati, Midnapore Zilla Parishad, Paschim Midnapore.
- 2) The Managing Director, WBFDC Ltd, Kolkata.
- 3) The General Manager, (HQ) WBFDC Ltd, Kolkata.
- 4) The Divisional Forest Officer /Divisional Manager _____
- 5) M/s./ Shri _____

Depot.auc/5/Rev.13-14

Divisional Manager
Forest Corporation (West) Division
Midnapore